

Abstract Booklet of the 14th edition of the

International Workshop on Advanced Infrared Technology and Applications, AITA 2017

and of the 8th IWASPND E WORKSHOP

Sept. 27th - Sept 29th, 2017, Québec City (Canada)



Conference officially hosted by



Workshop organized by:

Canada Research Chair on Multipolar Infrared Vision Infrarouge Multipolaire (MIVIM)
of the *Electrical and Computer Engineering* Department

X.P.V. Maldague, Editor

publié par:

X. Maldague
É. du CAO
38, Chemin du Cap-aux-Oies
Les Éboulements (Québec)
CANADA
G0A 2M0


Copyright © 2017 par X. Maldague. Tous droits réservés. X. Maldague ne peut être tenu responsable pour l'authenticité, l'exactitude ou les conséquences éventuelles résultant de l'usage des renseignements publiés dans ce volume. Les opinions et affirmations publiées dans ce volume ne reflètent pas nécessairement l'opinion de X. Maldague. Les produits ou services publicisés ou mentionnés dans ce volume ne sont pas endossés par X. Maldague.

Copyright © 2017 by X. Maldague. All rights reserved. X. Maldague is not responsible for the authenticity, accuracy of information herein or for any outcomes resulting from reliance thereon, and published opinions and statements do not reflect necessarily the opinion of X. Maldague. Products or services that are advertised or mentioned do not carry the endorsement or recommendation of X. Maldague.

ISBN 978-2-9809199-5-4

Dépôt légal - Bibliothèque nationale du Québec, 2017
Dépôt légal - Bibliothèque et Archives Canada, 2017


Imprimé au Canada
Printed in Canada



É. du CAO

à la frontière des connaissances
at the cutting edge of knowledge

Pavillon Alphonse-Desjardins
Espace Jardin



Notes

Caeleste
FLIR
Infra Tec
INO
MIVIM
Techno-Test
Telops
Visioimage




Table of contents

Keynotes

<i>Paolo Bison, Federico Cernuschi and Stefano Boldrini</i> IR thermography applied to assess thermophysical properties of Thermal Barrier Coatings	14
<i>Prof. Roman Maev and Dr. Dmitry Gavrilov</i> Cultural Heritage, an IR Perspective	18
<i>Prof. A. Mandelis</i> Principals and Non-Invasive Biomedical, Dental and Engineering Materials NDI Applications	19

Applications

<i>Magdi Mossoba</i> Application of Infrared Spectroscopy to Food Safety using Cryogenic Trapping, Chemical Imaging, and Portable Devices	21
<i>Hui Huang, Laura Liu and Michael Ngadi</i> Non-Destructive Evaluation of Fat Attributes of Pork Loin using NIR Images of Rib End	25
<i>Munetaka Ryu, Hidetoshi Sakamoto, Yoshifumi Ohbuchi, Tsuyoshi Yoshida and Yasunori Nakamura</i> Development of Furnace Wall Automatic Inspection.....	29
<i>A. Taram, C. Roquelet, Ph. Meilland, Th. Dupuy, C. Kaczynski, JL. Bodnar, Th. Duvaut</i> Induction Heating Thermography for Crack Detection in Spot Welds.....	33

Biothermophotonics Invited Session

<i>Boris Majaron, Nina Verdel, Ana Marin, Luka Vidovič and Matija Milanič</i> Quantitative Characterization of Human Skin by Combined Photothermal Radiometry and Optical Spectroscopy	35
<i>Nima Tabatabaei</i> Infrared Imaging Technologies for Early Detection of Dental Caries.....	39
<i>Perry Xiao, Xu Zhang and Christos Bontozoglou</i> Advances in Opto-Thermal Skin Measurements.....	40

Detectors

<i>Antoni Rogalski, Małgorzata Kopytko and Piotr Martyniuk</i> Performance prediction of p-i-n HgCdTe long wavelength infrared HOT photodiodes	42
<i>Yong-Gang Zhang, Yi Gu, Xing-You Chen, Ying-Jie Ma, Xue Li, Xiu-Mei Shao, Hai-Mei Gong and Jia-Xiong Fang</i> IGA-rule 17 for performance estimation of wavelength extending InGaAs photodetectors: validity and limitations	45
<i>Dr. Sven-A. Wode</i> Active spatial resolution enhancement for cooled IR cameras	49
<i>Ajit Kumar Kalgi, Dirk van Aken, Bart Dierickx, S. Veijalainen, K. Liekens, W. Verbruggen, P.Hargrave, R.Sudiwala, M.Haiml, H. Hoehnemann</i> Multiple shutter mode radiation hard IR detector ROIC	50

Environment

<i>Marija Strojnik, Beethoven Bravo-Medina, Guillermo Garcia-Torales and Michelle K. Scholl</i> Extra-solar planet detection: review of indirect and direct methods.....	57
--	----

<i>Bakhram Gaynullin, Maksym Bryzgalov, Christine Hummelgard, Claes Mattsson, Henrik Rodjegard and Goran Thungstrom</i> Pressure characterization and resolution limits' investigation of high accuracy NDIR Methane sensor for environmental applications.	61
<i>Moulay Akhloufi, Tom Toulouse, Lucile Rossi and Xavier Maldague</i> Three-dimensional infrared-visible framework for wildland fires	65
<i>Chan Park, Sungho Lee, J.S. Oh, I. Yuk, J.Lee, M.Chun, K.Kim, H.Oh, U.Jeong, N.Hwang, B.-H.Park, H.Lee, G.N.Mace, K.R. Sokal, L.Prato, D.T. Jaffe</i> IGRINS: Design, Performance and Plan for the Gemini Telescope	69
<i>Chao Ni, Yuanhao Wang, Yuting Lu, Fengzhi Tan and Yuan Li</i> Rapid and nondestructive quantitative determination of total flavonoids in Cyclocarya paliurus leaves by near-infrared reflectance spectroscopy	73
<i>Cinzia Lastri, Stefano Baronti, Giulio Coluccia, Donatella Guzzi, Demetrio Labate, Enrico Magli, Micael Miranda, Vanni Nardino, Lorenzo Palombi, Ivan Pippi, Alessandro Zuccaro Marchi and Valentina Raimondi</i> IR camera for NEO detection based on Compressive Sensing technologies.....	89
<i>Thibaud Toullier, Jean Dumoulin and Laurent Mevel</i> Comparison of Thermocouples Surface Measurements and Infrared Thermography for Transport Infrastructure Thermal Monitoring	93
<i>Bushra Jalil, Davide Moroni and Maria Antonietta Pascali</i> Power Lines Inspection via Thermal and Infrared Imaging	97
<i>Fernando López and Xavier Maldague</i> Determination of Energetic Parameters of Building Rooftops by Aerial Infrared Thermography.....	101
<i>Kazuhisa Nakasho , Carlos Cuadra , Hirokazu Madokoro , Nobuhiro Shimoi</i> Infrared Thermography Applied for Robust Image Processing to Examine Historical Wooden Buildings	104
<i>Guzzi Donatella, Stefano Baronti, Daniela Coltuc, Florin Garoi, Iuliana Iordache, Demetrio Labate, Cinzia Lastri, Vanni Nardino, Micael Miranda, Ivan Pippi, Alessandro Zuccaro Marchi and Valentina Raimondi</i> Compressive sensing and space applications in the SWIR-FIR spectral range	108

Image Processing

<i>Nobuhiro Shimoi, Carlos Cuadra, Kazuhisa Nakasho and Hirokazu Madokoro</i> Active Image Processing for Wooden Traditional Structure using IR Cameras	113
<i>Michal Švantner, Lukáš Muzika, Tomáš Chmelík and Jiří Skála</i> Quantitative evaluation of active thermography using contrast to noise ratio	117
<i>Jeroen Peeters, Bart Ribbens, Boris Bogaerts, Seppe Sels, Joris Dirckx and Gunther Steenackers</i> Optimized setup modification for automated active thermography	121
<i>Hossein Memarzadeh Sharifipour, Bardia Yousefi and Xavier P V Maldague</i> Skeletonization and Reconstruction Based on Graph Morphological Transformations.....	125
<i>Moulay Akhloufi and Axel-Christian Guei</i> DeepSIRF - Super-resolution infrared face images using Deep Convolutional Generative Adversarial Networks	129
<i>Julien Fleuret, Lei Lei, Changjian Shui, Clemente Ibarra-Castanedo, Xavier Maldague and Hai Zhang</i> An Improved Algorithm for Detection and Segmentation of Defects.....	133

Medical

<i>Mario D'Acunto</i> Near IR Biological Transparency Window and Theranostics Strategies	137
<i>Bardia Yousefi, Hossein Memarzadeh Sharifipour, Mana Eskandari, Clemente Ibarra Castanedo, Xavier P V Maldague and Denis Laurendeau</i> Incremental Low Rank Noise Reduction for Thermal Monitoring of Human Body Using Infrared Imagery	140
<i>Bushra Jalil, Valentina Hartwig, Ovidio Salvetti, Davide Moroni, Zunera Jalil, Antonio Benassi, Antonio L'abbate, Letizia Guiducci, Laura Pistoia, Tommaso Minutoli Tegrini, Antonio Quinones-Galvan and Giorgio Iervasi</i> Near Infrared and Thermal Imaging of Normal and Obese Women During Oral Glucose Tolerance Test (OGTT)	144

NDT

<i>Marc Genest and Gang Li</i> Induction Thermography of Steel Coupons with Crack	149
<i>Frank Billy Djupkep Dizeu, Denis Laurendeau and Abdelhakim Bendada</i> Quantitative Nondestructive Testing Using Infrared Thermography: An Inverse Geometry Problem	153
<i>Matthew Bondy, Dmitry Gavrilov, Inna Seviaryna and Roman Maev</i> Practical Application of Acoustic and Thermographic Methods for Analysis of Impact Damage to Composite Avionic Parts	157
<i>Abdoulahad Thiam, Jean-Christophe Kneip, Eugen Cicala, Yannick Caulier and Jean-Marie Jouvard</i> Using numerical experimental design for crack detection by active thermography	161
<i>Alexandrine Huot, Frédérick Marcotte, Kamel Mouhoubi and Jean-Luc Bodnar</i> Using Active Infrared Thermography for Characterizing Types of Ballistic Impacts	165
<i>Takahide Sakagami, Daiki Shiozawa, Yu Nakamura, Shinichi Nonaka and Kenichi Hamada</i> Detection of Fatigue Damage in Short Carbon Fiber Reinforced Plastics Using Thermoelasticity	168
<i>Louis-Daniel Thérout, Jacques Lewandowski, Benoit Masson, Jean-François Vandenrijt and Marc Georges</i> Practical simulation of delamination in composites for thermography NDT	172
<i>Hai Zhang, Stefano Sfarra, Ahmad Osman, Udo Netzelmann, Clemente Ibarra-Castanedo, Stefano Perilli, Fabrizio Sarasini and Xavier Maldague</i> Eddy Current Pulsed Thermography for Basalt-Carbon Hybrid Composites Subjected to Ballistic Impacts: A Numerical and Experimental Study	176
<i>Yui Izumi, Yoshiaki Mizokami, Akira Moriyama and Takahide Sakagami</i> Detection of back-surface crack based on temperature gap measurement using infrared thermography	179
<i>Daiki Shiozawa, Tsuyoshi Inagawa, Takaya Washio and Takahide Sakagami</i> Effect of mean stress on phase difference of dissipated energy	183
<i>Henrique Fernandes, Stefano Sfarra, Hai Zhang, Clemente Ibarra-Castanedo and Xavier Maldague</i> Fiber Orientation Detection on Fiber Reinforced Polymers Moulded with Randomly-Oriented Strands	187
<i>Marco Ricci, Giuseppe Silipigni, Stefano Laureti, Luca Senni, Riccardo Tomasello and Pietro Burrascano</i> Optimal Design of Chirp Excitations for Pulse Compression Thermography	191
<i>E.T. Delegou, M. Krokida, N.P. Avdelidis, A. Moropoulou</i> An Empirical mathematical Model Developed for Pulsed Thermography Analysis on Marble Surfaces	195

Techniques

<i>Ruben Usamentiaga, Daniel Garcia, C. Ibarra-Castanedo and Xavier Maldague</i> Metric Measurements on a Plane with an Infrared Camera	200
---	-----

Seol-Hee Yi, Ik-Hwan Kwon, Hyun-Chul Jung, Kyeong-Suk Kim and Chung-Ki Hong Measurement of three dimensional surface temperature distribution by hybrid digital holographic imaging system 204

Hector Torres-Ortega, Marija Strojnik, Guillermo Garcia-Torales and Michelle K. Scholl Thermal Chamber for DNA Amplification at Given Temperature (T=62 C): Preliminary Test Results 208

Hector Torres-Ortega, Marija Strojnik, Guillermo Garcia-Torales, Michelle K. Scholl Thermal Bed for DNA Amplification at given Temperature (test case T = 62 C) 212

Thermal Properties

Jonas Allegrini, Dominique Derome and Jan Carmeliet Wind Tunnel Measurements of Local Heat Transfer Coefficients and Local Air Temperatures in an Urban Street Canyon Using IR Thermography 217

Alexey Prosvetov, Christina Trautmann and Marilena Tomut In-plane and through-plane laser flash measurements of thermal diffusivity degradation induced by heavy ion irradiation in thin graphite samples..... 221

Suhyeon Park, Y.B. Ji and Srinath Ekkad Flame Infrared Radiation Measurement at a Model Gas Turbine Combustor 224

Francesco Montagner, Silvia Deambrosis, Enrico Miorin, Giovanni Ferrarini and Paolo Bison Optical temperature measurement of the rotating plate in PVD system 229

J. Robert Mahan, Vinh Q. Nguyen, Nazia B. Munir and Vinh X. Ho MonteCarlo Ray-Trace Diffraction Based On The Huygens-Fresnel Principle..... 232

Posters

Abbasali Saboktakin, Saeid Hedayatrasa, Hosein Moienkhah, Xavier Maldague and Guillermo Rus Carlborg Aircraft Fuselage Testing Using Vibrothermography Technique 237

Bryan García, Andrés-David Restrepo-Giron and Humberto Loaiza-Correa Detection of External Structures of Anti-personnel Mines by Means of Thermographic Inspection of Soil 241

Serge-Olivier Gnessougou, Clemente Ibarra, Xavier Maldague, Alain deChamplain Thermal Diffusivity Measurements with the Flash Method at Different Depths in a Burned Composite Material..... 245

Weike Dong, Zhenqing Song and Long Liu A Novel FPGA-based Data Reconstruction Method for Synchronized Real-time DMD Display with High Frame Rate 246

Mouhoubi Kamel, Taram Abdoulaye, Bodnar Jean-Luc Follow-up of Restoration of Works of Arts of the Patrimony by Infrared Thermography..... 254

Preface

It is our pleasure to welcome you here at Université Laval for the 14th edition of the International Workshop on *Advanced Infrared Technology and Applications*, AITA 2017!

AITA Workshops were born in Italy where most of the Editions took place. In 2007, AITA was hosted in León, Mexico by Prof. Marija Stojnik. Hence, to mark this 10th anniversary, the Program Committee decided to organize AITA 2017 once again in North America, but this time in Quebec City, Canada.

Interestingly 2017 marks also the 150 anniversary of the Canadian Confederation with all kind of celebrations all across the country so it is a unique opportunity to host AITA right here in Canada!

AITA is a forum that brings together researchers in the field of infrared science and technology to exchange knowledge and ideas. Interestingly, the VIIIth edition of the *International Workshop on Advances Signal Processing for NonDestructive Evaluation* (IWASPNDE, Quebec Workshops) will take place as a simultaneous event.

For the 2017 edition, sessions were divided as follows: Applications, Detectors, Environment, Image processing*, Medical, NonDestructive Testing*, Techniques, Thermal properties, and we also have an invited session organized by Prof. A. Mandelis: Biothermophotonics (*: joint sessions with *VIIIth IWASPNDE*).

The following invited Keynote Lectures are others program highlights:

- «IR thermography applied to assess thermophysical properties of Thermal Barrier Coatings», Dr. Paolo Bison, CNR - ITC, Italy;
- «Cultural Heritage, an IR Perspective», Dr. Roman Maev and Dr. Dmitry Gavrilov, University of Windsor, Canada;
- «Photothermal Coherence Tomography (PCT): «Principals and Non-Invasive Biomedical, Dental and Engineering Materials NDI Applications »
Dr. Andreas Mandelis, University of Toronto, Canada.

The «Under 35 Paper Award» competition will take place during the Workshop. This Award is named after Ermanno Grinzato who passed away in 2012. Mr. Grinzato was AITA cochairman for a long time and was a very well-known scientist in the thermography community. Additional Workshop highlights are a Poster session, a Vendor Session, an Exhibit with the following Companies participating: Caeleste, FLIR, InfraTec, INO, TechnoTest, Telops, Visioo-Image.

The social program includes a Reception and a Visit, Cocktail and Banquet at «Aquarium de Québec». For this last event, we thank Telops for their generous support.

As usual, a selection of the received papers will be published in a peer-review journal: *OSA Applied Optics*.

Finally, the website: <http://aita2017.gel.ulaval.ca> will be maintained active for future references. The website includes the Workshop Booklet with all the abstracts in .PDF format. This way to proceed was found more convenient and environmentally friendly.

As partners in the success of this week, was the help of the Program Committee, Scientific Committee, Organizing Committee, Université Laval, including my own Electrical and Computing Engineering Department and staff. The participation of our exhibitors is also appreciated. I would like also to point out the dedicated work of all our student staff and particularly of our assistant, Mr. Patrick Deschênes Labrie.

I will conclude these remarks by wishing to all a fruitful Workshop, full with great talks, great discussions, meetings of old and new faces! I would like also to thank you all for your participation which is essential to the success of AITA 2017.

Enjoy AITA 2017, enjoy beautiful Québec City, Canada!

Xavier Maldague
Chair, AITA 2017

Committees

Program Committee

General Chair

- L. Ronchi Abbozzo, Fondazione Giorgio Ronchi, Firenze, Italy

Cochairs

- X. Maldague, Electrical and Computing Engineering Dept., Quebec City, Canada
- P. Bison, CNR-ITC, Padova, Italy
- M. D'Acunto, CNR-ISM, Rome, Italy
- D. Moroni, CNR-ISTI, Pisa, Italy
- V. Raimondi, CNR-IFAC, Firenze, Italy
- A. Rogalski, Military University of Technology, Warsaw, Poland
- T. Sakagami, Kobe University, Kobe, Japan
- M. Strojnik, CIO, León, Guanajuato, Mexico

Scientific Committee

- D. Balageas, Onera, Chatillon, France
- C. Corsi, Alenia-Creo, L'Aquila, Italy
- E. Derekiak, University of Arizona, Tucson, USA
- C.T. Elliott, Heriot-Watt University, Edinburgh, Scotland
- C. Maierhofer, BAM, Germany
- C. Meola, Univ. of Naples, Naples, Italy
- I. Pippi, CNR-IFAC, Firenze, Italy
- H.N. Rutt, Southampton University, Southampton, United Kingdom
- O. Salvetti, CNR-ISTI, Pisa, Italy
- J.L. Tissot, ULIS, Veurey Voroize, France
- V.P. Vavilov, Tomsk University, Tomsk, Russia
- H. Zogg, ETH, Zurich, Switzerland

Organizing Committee

- Xavier Maldague, chair, Université Laval, Canada
- Hakim Bendada, Université Laval, Canada
- Clemente Ibarra-Castanedo, Université Laval, Canada
- Marc Genest, National Research Council Canada, Canada
- Roman Maev, University of Windsor, Canada
- Andreas Mandelis, University of Toronto, Canada
- Stefano Sfarra, University of L'Aquila, Italy
- Nicolas P. Avdelidis, National Technical University of Athens, Greece

Technical Secretariat - AITA2017

- Mr. Patrick Deschênes Labrie
Department of Electrical and Computer Engineering
Université Laval, Québec, Canada, G1V 0A6
Phone : ++ 1 418 656-2962
Fax : ++ 1418 656-3159
Email : Quebec@gel.ulaval.ca

POWER LINES INSPECTION VIA RGB, THERMAL AND INFRARED IMAGING

B. Jalil¹, D. Moroni¹, M.A. Pascali¹

¹Istituto di Scienza e Tecnologie dell'Informazione "Alessandro Faedo" CNR, Pisa, Italy

Image processing, applied to visible and infrared thermal data, is used to detect faults and anomalies in power transmission lines. Recently, Unmanned Aerial Vehicles, equipped with infrared or visible cameras, are used in urban or rural areas to acquire data, useful to comprehensively inspect the status of the infrastructure. This paper provides a concise review about vision-based algorithms used for the inspection of electric power lines, with a specific focus on methods and technologies which are suitable to be implemented in a UAV-based monitoring system of infrastructure for the transmission and distribution of the electric power.

Introduction

Power transmission lines are the means of electricity distribution and it is of extreme importance to ensure their continuous supply and high performance. At the same time, defect detection at an early stage not only can save the life of the system but also the operational cost. In addition to that, it can save the damages and can predict future anomalies too. Therefore, the continuous surveillance and inspection of power lines can play a vital role to ensure the continuous electric transmission. Much research on how to improve the power line detection methods and inspection's efficiency has been developed for a long time. In this paper, we will present different studies based on these methods using visible and thermal imaging cameras. The main focus will remain at the inspections via UAVs. We will highlight the different aspects of the methods used for the detection and inspection of power lines. We will also discuss different computer vision methods used to analyze visible and infrared image data. Before presenting these methods, we will first briefly introduce different modes of inspection.

Inspection modes

The most widely used method to inspect power lines is the foot patrolling: a team of personnel inspects the lines by or with the ground vehicle. The team is equipped with binoculars, and/or

visible and infrared cameras, however this process is relatively tedious and long. As an alternative to foot patrolling the inspection may be performed using a manned aerial vehicle, e.g. a helicopter equipped with visible or infrared cameras, hence acquiring images of conductors and insulators from high above the power lines. Then, data are either manually inspected, or automatically processed for the fault detection. This method is faster but usually more expensive. Also, when a fault is detected, skilled operators are required to climb in order to check and eventually fix the damage. In order to reduce the operational cost, climbing robots came up as an alternative solution. The climbing robot travels along the conductors, achieving similar speed as in helicopter assisted inspection. In comparison to the foot patrolling, often requiring climbing on the power lines, the climbing robot is a safer and not time consuming solution. Although having specific benefits, climbing robots are still not a practical solution to inspect the huge network of distribution lines [1].

Over the recent years UAVs are being used for a wide spectrum of applications, supporting humans in dangerous and challenging environments, including the inspection and maintenance of power equipment. Modern flight control technique and image processing allow UAVs to carry out fast inspection from some distance. Based on GPS data of both the UAV and the electric towers, the embedded algorithms are able to perform the automatic

tracking of power lines. Compared with the conventional inspection methods, UAV-based inspection is more advanced, less expensive and safer. However, UAVs and manned aerial vehicles share some common problems, occurring while monitoring the power lines: camera stabilization, pole tracking and automatic detection of defects. The acquired data, generally a sequence of images, are analysed by the operator to assess the maintenance status of the power line. In the infrastructure monitoring by UAV, the challenge is to make the inspection fully automatic and almost real-time, by using proper statistical and morphological processing techniques to highlight the hot spot in cables and insulators.

Vision-based methods

Power line inspection can be done by using visible or infrared camera. Thermal and infrared imaging has gained recognitions in the field of power systems during the last two decades. It has been used for testing and inspection of different electric parts and also for preventive maintenance work. Recently, UAV-based inspection systems are used to comprehensively inspect power transmission line in urban and rural areas. Here we focus on image processing methods used to analyse both visible and infrared images. In both cases, the acquired data is a sequence of 2D image of the scene. In this scene, the background could be green fields, water, mountains or buildings. Therefore, in order to investigate the condition of the lines, the very first step is to identify the power lines in the images. Detecting power lines from a cluttered background is one of the most important and challenging tasks. In general, all methods follow the two step process. i) Identify expected power lines and remove rest of the background. ii) Connect the expected power lines and remove unwanted straight lines. In the following sections there is a brief description of image type, along with a discussion of the methods used to identify and inspect power lines.

Processing of thermal-infrared data

Infrared thermography uses infrared sensors to capture images of thermal objects based on temperature variations. Generally, thermal imaging is considered as a robust, non-destructive and contactless methodology to inspect power lines, as the inspection can be performed by keeping some distance, hence there is no need to halt or cut down electric supply during the inspection.

Hongwei et al. [2] had presented a fusion algorithm for the infrared and visible power lines image. They extracted the SIFT features from the images and calculated the optimal homograph matrix to fuse the visible and infrared images by bicubic interpolation algorithm. Their method is invariant to large scale changes and illumination changes in the real operating environment of power equipment. Similarly, Larrauri et al. [3] identified areas of vegetation, trees and buildings close to power lines and calculated their distance from power lines. Simultaneously, the system processed the infrared images to detect hot spots in the power lines by estimating the threshold based on Otsu method and later segment the lines from the background [4]. More recently, Vega et al. presented a system based on a quadrotor helicopter for monitoring the power lines [5]. They estimated the relative temperature of the joints for qualitative inspection. The increase of the electrical resistivity at the joints is directly proportional to the temperature at the joint. Initially, the background of the thermal image was removed, and then the joints of the power lines, located in the foreground, were analyzed. They performed a thresholding-based segmentation to isolate these joints from background. On the other side, Lages et al captured video streams from both an infrared and visible cameras, simultaneously [6]. They used both statistical and morphological methods to highlight the hot spots in the lines. Their first step is to segment the image in lower and high temperature areas, by thresholding; later, the foreground is further processed

looking for hot-spots. The background is discarded. Oliveira et al. discussed in detail the generation of hot spots in the transmission lines and later they had also used the same thresholding based segmentation to highlight hot spots [7]. Several of the above mentioned and similar methods require manual operations to adjust threshold values; hence there is a risk of a high measurement error because of the influence of the background, lack of reference temperature values, and changeable emissivity or reflection of radiation from other elements surrounding power lines. For this reason, recently Wronkowicz had proposed an automated method for the hot spot detection from IR images of power transmission lines, without any reference temperature value [8]. The threshold for image segmentation is selected automatically by finding the steepest growth of successive gradients of sorted values of input image, after certain image pre-processing steps.

Processing of RGB data

In recent years, tremendous efforts have been devoted to the automation of power lines detection from aerial RGB images. Many methods, based on recent advances in aerial photogrammetry, have been proposed to detect and inspect power lines in real time. Oberweger et al. presented in [9] a method to detect the insulators in aerial images, and to automatically analyze them for possible faults. Their method is based on discriminative training of local gradient-based descriptors and a subsequent voting scheme for localization. More recently, Li et al. used the human attention mechanism model and the binocular vision system to detect and track power lines in image sequences according to their shape [10]. The binocular visual model is used to calculate the 3D coordinates of both obstacles and power lines. The proposed method uses a SURF-based matching strategy to improve the real time computation and accuracy of the system. The experimental results show that the inspection system is effective even in complex backgrounds and under different conditions.

Zhang et al. transformed the RGB image to the gradient image, and extracted the power lines by the Otsu thresholding [11]. They performed K-means in the Hough space to cluster and filter the straight lines; and Kalman filtering to predict the position of power lines in the next frame, assuming the continuous nature of video frames. Similarly, Li et al. in [12] proposed a more complex filter based on a simplified pulse coupled neural network model. This filter can simultaneously remove the background noise as well as generate edge maps. An improved Hough transform, performing knowledge-based line clustering in the Hough space, detected the power transmission lines. Song and Li in [13] first generated a line segment pool by match filtering and first-order derivative of Gaussian. Later, a graph-cut model is used to group the lines corresponding to the power lines. This method can detect not only the straight power lines but also the curve ones. Candamo detected power transmission lines from low quality videos combining the motion estimation at the pixel level with the edge detection, followed by a windowed Hough transform [14]. Yan et al. extracted straight line segments by Radon transform, followed by a Kalman filtering to connect segments into whole lines [15]. More detailed summary of some more methods were given by Kartransnik and Miralla in [16, 17].

Conclusion

In this paper, we have studied different inspection methods based on visible and infrared images designed to detect and inspect power transmission lines. Infrared imaging applied to power lines monitoring account for the differences of temperature at the joints; hence it is used for the fault diagnosis. Most of the methods performed simple thresholding to separate foreground from the scene. On the other hand, image processing applied to RGB images and videos is able to provide quite an accurate localization of the inspected power lines, by applying standard computer vision techniques (e.g. denoising, filtering, segmentation, line detection). Using more advanced techniques (e.g. Kalman filtering, 3D

photogrammetry, neural networks) it is possible to perform a detection and tracking of power lines in almost real time, during the autonomous inspection. The integration of the processing of both data (i.e., thermal infrared and visible) is a key point to have not only an accurate detection and tracking of the power lines, but also to have a reliable and robust assessment of the maintenance status of the whole infrastructure.

SCIADRO Project

This work is being carried out in the framework of the Tuscany regional project “SCIADRO” [18]. The project aims at developing the enabling technologies, which are key to accomplishing a rather rich and diverse span of missions through the use of a coordinated drone swarm within a civilian environment. In detail, the project aims at: (i) achieving computer vision techniques and algorithms able to detect complex objects and extract information on local anomalies which might affect them; (ii) developing suitable logics and algorithms to effectively organize and guide the overall swarm motion and actions during a mission; (iii) studying, developing and demonstrating network architectures and protocols allowing communication among multiple drones within a swarm, possibly increasing the communication reliability towards the ground segment.

References

1. L. Wang et al., Development of a Practical Power Transmission Line Inspection Robot Based on a Novel Line Walking Mechanism, The 2010 IEEE/RSJ International Conference on Intelligent Robots and Systems October 18-22, 2010, Taiwan.
2. H. Li et al, Research on the Infrared and Visible Power-Equipment Image Fusion for Inspection Robots, 2010 1st International Conference on Applied Robotics for the Power Industry Montréal, Canada, October 5-7, 2010.
3. J. I. Larrauri, et al. Automatic System for Overhead Power Line Inspection using an Unmanned Aerial Vehicle RELIFO Project, 2013 International Conference on Unmanned Aircraft Systems, May 28-31, 2013, Atlanta, GA.
4. N. Otsu. A Threshold Selection Method from Gray-Level Histograms, In IEEE Transactions on Systems, Man, and Cybernetics. Vol. 9, 62-66, 1979.
5. L. Vega, et al, Power Line Inspection Via an Unmanned Aerial System Based on the Quadrotor Helicopter, IEEE Mediterranean Electro technical Conference, Beirut, Lebanon, 13-16 April 2014.
6. W. F. Legas and V. Scheeren, An embedded module for robotized inspection of power lines by using thermographic and visual images, CARPI ETH Zurich, Switzerland. September 11-13, 2012.
7. J. H. Oliveira et al, Robotized Inspection of Power Lines with Infrared Vision, 2010 1st International Conference on Applied Robotics for the Power Industry, Montréal, Canada, October 5-7, 2010.
8. A. Wronkiewicz A., Approach to automated hot spot detection using image processing for thermographic inspections of power transmission lines. Diagnostyka. Vol. 17, pp. 81-86, 2016.
9. M. Oberweger et al., et al. Visual Recognition and Fault Detection for Power Line Insulators, 19th Computer Vision Winter Workshop, Feb, 2014.
10. Q. Li et al., Bionic Vision-Based Intelligent Power Line Inspection System, Computational and Mathematical Methods in Medicine, Article ID 4964287, 13 pages, 2017.
11. J. Zhang et al., High speed Automatic Power Line Detection and Tracking for a UAV-Based Inspection, 2012 International Conference on Industrial Control and Electronics Engineering.
12. Z. Li et al. Towards automatic power line detection for a UAV surveillance system using pulse coupled neural filter and an improved Hough transform, Machine Vision and Applications, 2010, vol. 21:677–686
13. B. Song and X. Li, Power line detection from optical images, Neuro computing, vol. 129, 350–361, 2014.
14. J. Candamo, Detection of Thin Lines using Low-Quality Video from Low-Altitude Aircraft in Urban Settings, IEEE Transactions on Aerospace and Electronic Systems vol. 45, 2009.
15. G. Yan et al, Automatic Extraction of Power Lines from Aerial Images, IEEE geoscience and remote sensing letters, vol. 4, 2007
16. J. Katrasnik et al., A survey of mobile robots for distribution power line inspection, IEEE Transactions on Power Delivery, vol. 25, pp. 485–493, 2010.
17. F. Miralls et al, State-of-the-art review of computer vision for the management of power transmission lines. In Proceedings of the 2014 3rd International Conference on Applied Robotics for the Power Industry, pages 1–6, Oct 2014.
18. M. Bacco et al. UAVs and UAV swarms for civilian applications: communications and image processing in the SCIADRO project. Working paper, 2017. <http://puma.isti.cnr.it/dfdowload.php?ident=/cnr.isti/2017-WP-001>