

A Minimal Deductive System for RDFS with Negative Statements

Umberto Straccia¹, Giovanni Casini^{1,2}

¹ISTI-CNR, Pisa, Italy

²CAIR, University of Cape Town, Cape Town, South Africa

{umberto.straccia,giovanni.casini}@isti.cnr.it

Abstract

The triple language RDFS is designed to represent and reason with *positive* statements only (e.g., “antipyretics are drugs”). In this paper, we extend RDFS to deal with various forms of negative statements under the Open World Assumption (OWA). To do so, we consider ρdf , a minimal, but significant RDFS fragment that covers all essential features of RDFS, and then extend it to ρdf_{\perp} , allowing express also statements such as “radio therapies are *non* drug treatments”, “Ebola *has no* treatment”, or “opioids and antipyretics are *disjoint* classes”. The main features of our proposal are: (i) ρdf_{\perp} remains syntactically a triple language by extending ρdf with new symbols with specific semantics and there is no need to revert to the reification method to represent negative triples; (ii) the logic is defined in such a way that any RDFS reasoner/store may handle the new predicates as ordinary terms if it does not want to take account of the extra capabilities; (iii) despite negated statements, every ρdf_{\perp} knowledge base is satisfiable; (iv) the ρdf_{\perp} entailment decision procedure is obtained from ρdf via additional inference rules favouring a potential implementation; and (v) deciding entailment in ρdf_{\perp} ranges from P to NP.

1 Introduction

The *Resource Description Framework* (RDF)¹ and its extension *RDF Schema* (RDFS)² are both W3C standards, and nowadays quite popular knowledge representation languages. Essentially, a statement in RDF is a triple of the form (s, p, o) , allowing to state that *subject* s is related to *object* o via the *property* p . For instance, $(\text{fever}, \text{hasTreatment}, \text{paracetamol})$ is such a triple whose intended meaning is “fever can be treated via paracetamol”. RDFS is an extension of RDF providing mechanisms for describing groups of related terms and the relationships between these terms via a specific vocabulary of predicates. So, e.g., the RDFS triple $(\text{paracetamol}, \text{type}, \text{antipyretic})$ express that “paracetamol *is an* antipyretic” (here *type* is the predicate for class membership specification), while $(\text{antipyretic}, \text{sc}, \text{drug})$ asserts that “antipyretic *is a subclass of* drug” (sc is the predicate for sub-class specification).

As both languages have been designed to represent and reason with *positive* statements only, they can not properly deal with *negative* statements such as

“opioids and antipyretics are *disjoint* classes”; (1)

“radio therapies are *non* drug treatments”; and (2)

“Ebola *has no* treatment”. (3)

In particular, we may not infer that “paracetamol *is not* a treatment for Ebola”. Such a statement could only be inferred with the major assumption that the Knowledge Base (KB) is complete — the so-called *Closed-World Assumption* (CWA) (Reiter 1978), which however is not realistic to be assumed in many cases. For instance, in medicine, it is important to distinguish between knowing about the absence of a biochemical reaction between substances, and not knowing about its existence at all, which rises then the need for explicitly stating salient *negative* statements (see, e.g., (Arnaout et al. 2021b) for a recent work about it). This is particularly true in the case in which the information about the represented world is assumed to be incomplete, — the so-called *Open World Assumption* (OWA).

Contribution. In this paper we show how to extend RDFS to express and reason with various forms of negative statements under the OWA. To do so, we start from ρdf (Muñoz, Pérez, and Gutierrez 2009), a minimal, but significant RDFS fragment that covers all essential features of RDFS, and then extend it to ρdf_{\perp} , allowing express also negative statements via a specific expressions involving negated classes/properties, disjointness relationships, and no-value existence. So, for instance, the ρdf_{\perp} triple $(\text{opioid}, \perp_c, \text{antipyretic})$ expresses (1) (\perp_c is the vocabulary predicate for class disjointness specification), $(\text{radiotherapy}, \text{sc}, \neg \text{drugTreatment})$ expresses (2) (here, essentially we introduce class complements via the \neg operator), while $(\text{ebola}, \neg \text{hasTreatment}, \star_{\text{treatment}})$ is meant to encode (3) (here, besides property complement, we also allow the \star_c operator, which is the place holder for an universally quantified variable over domain c).³

The main and, to the best of our knowledge, unique features of our proposal are (cf., related work below): (i)

¹<http://www.w3.org/RDF/>

²<https://www.w3.org/TR/rdf-schema/>

³We refer the reader to Table 1 for an informal First-Order Logic (FOL) reading of some types of ρdf_{\perp} triples.

ρdf_{\perp} remains syntactically a triple language by extending ρdf with new symbols with specific semantics and there is no need to revert to the reification method to represent negative triples; (ii) the logic is defined in such a way that any RDFS reasoner/store may handle the new predicates as ordinary terms if it does not want to take account of the extra capabilities; (iii) despite negated statements, every ρdf_{\perp} knowledge base is satisfiable, which is obtained via an intentional like four-valued semantics; (iv) the ρdf_{\perp} entailment decision procedure is obtained from ρdf via additional inference rules favouring a potential implementation; and (v) deciding entailment in ρdf_{\perp} ranges from P to NP.

Related Work. There have been various works in the past about extending RDFS with negative statements, or applications that would like or require to have such a feature, which we briefly summarise below and indeed inspired our work.

In (Arnaout et al. 2021b) and related works (Arnaout, Razniewski, and Weikum 2020; Arnaout et al. 2021a; Arnaout et al. 2021c), two types of negative statements are considered: (i) grounded negative statements of the form $\neg(s, p, o)$, with informal FOL reading $\neg p(s, o)$; and (ii) universally negative statements of the form $\neg\exists x.(s, p, x)$, meaning in FOL terms $\neg\exists x.p(s, x)$. The former type of triples have been proposed in (Analyti et al. 2004) (and subsequent works, see below), while the latter has been addressed in (Darari, Prasojo, and Nutt 2015). In (Arnaout et al. 2021b) essentially a statistical inference method is proposed to extract useful negative statements of this form, such as “Leonardo DiCaprio has never been married” and “United Kingdom is not the citizenship of Jimi Hendrix”.⁴ It also publishes datasets⁵ that contain useful negative statements about entities in Wikidata.⁶ Reasoning has not been addressed (and was not the focus of these works). Both types of negative statements are covered by ρdf_{\perp} and, thus, our work is complementary to (Arnaout et al. 2021b) in the sense that we describe how then to reason with such information.

In (Darari, Prasojo, and Nutt 2015) the problem on how to express the non-existence of information is addressed, which has the form $No(\{(s_1, p_1, o_1), \dots, (s_n, p_n, o_n)\})$, with informal FOL reading $\neg\exists \mathbf{x}.(p_1(s_1, o_1) \wedge \dots \wedge p_n(s_n, o_n))$, or equivalently, $\forall \mathbf{x}.(p_1(s_1, o_1) \vee \dots \vee p_n(s_n, o_n))$, where \mathbf{x} are the variables occurring the triples. It shows how to represent it via the reification method and incorporate it into SPARQL⁷ query answering. Reasoning is not addressed however. We consider here only the case $n = 1$ via the expression $(s, \neg p, \star_c)$ as the general case $n \geq 2$ would introduce a disjunction, which we would like to avoid for computational reasons.

In (Analyti et al. 2008) and related works (Analyti, Damásio, and Antoniou 2015; Analyti, Antoniou, and

Damásio 2008; Analyti, Antoniou, and Damásio 2009; Analyti, Antoniou, and Damásio 2011; Analyti et al. 2013; Analyti et al. 2005; Analyti et al. 2004; Damásio, Analyti, and Antoniou 2010) the authors deal with *Extended* RDF (ERDF), a non-monotonic logic, where an ERDF ontology consists of two parts: an ERDF graph and an ERDF logic program. An ERDF graph allows *negated* RDF triples of the form $\neg(s, p, o)$, informally in FOL terms $\neg p(s, o)$, while in the body of rules all the classical connectives $\neg, \supset, \wedge, \vee, \forall, \exists$, plus the weak negation (negation-as-failure) \sim are allowed. Various “stable model” semantics have been proposed. From a computational complexity point view, decision problems in ERDF are non-polynomial (Analyti, Damásio, and Antoniou 2015). E.g., deciding model existence and, thus, model existence is not guaranteed, ranges from NP to PSPACE, while query answering goes from co-NP to PSPACE, depending on the setting.⁸ In comparison, ρdf_{\perp} does not use a rule layer, the triple language is more expressive, model existence is guaranteed and the computational complexity ranges between P and NP. Of course, all inference rules for ρdf_{\perp} can be implemented in the rule layer of ERDF (and in Datalog in general).

Eventually, (Casini and Straccia 2020) considers ρdf_{\perp} on top of which to develop a non-monotonic RDFS logic based on Rational Closure (Lehmann and Magidor 1992). ρdf_{\perp} extends ρdf allowing to express disjointness among (positive) classes and relations.

In summary, our work aims at putting all together within RDFS to deal with expressions of the form e.g., (1)–(3) in a generalised way.

We proceed as follows. As next we introduce the basic notions about ρdf we will rely on. Section 3 is the main part of this paper in which we extend ρdf to ρdf_{\perp} . The paper concludes with a summary of the contributions and addresses some topics for future work.

2 Preliminaries

For the sake of our purposes, we will rely on a minimal, but significant RDFS fragment, called ρdf (Muñoz, Pérez, and Gutierrez 2009; Muñoz, Pérez, and Gutiérrez 2007), that covers the essential features of RDFS. In fact, ρdf may be considered as the logic behind RDFS and suffices to illustrate the main concepts and algorithms we will consider. ρdf is defined as the following subset of the RDFS vocabulary:

$$\rho df = \{sp, sc, type, dom, range\} . \quad (4)$$

Informally, (i) (p, sp, q) means that property p is a *sub property* of property q ; (ii) (c, sc, d) means that class c is a *sub class* of class d ; (iii) $(a, type, b)$ means that a is of *type* b ; (iv) (p, dom, c) means that the *domain* of property p is c ; (v) $(p, range, c)$ means that the *range* of property p is c .

Syntax. Assume pairwise disjoint alphabets \mathbf{U} (*RDF URI references*), \mathbf{B} (*Blank nodes*), and \mathbf{L} (*Literals*). We assume \mathbf{U}, \mathbf{B} , and \mathbf{L} fixed, and for simplicity we will denote unions

⁴Optionally, triples may be annotated with a degree such as e.g., “The Sultan Resort has no parking facility to degree 0.97”. See e.g., (Zimmermann et al. 2012) for a general framework to deal with annotated triples.

⁵<https://github.com/HibaArnaout/usefulnegations>

⁶<https://www.wikidata.org>

⁷<http://www.w3.org/TR/sparql11-query/>

⁸There are also many more works that use rule languages on top of RDFS, which however we are not going to discuss here (see, e.g., (Casini and Straccia 2020)).

of these sets simply concatenating their names. We call elements in **UBL terms** (denoted a, b, \dots, w), and elements in **B variables** (denoted x, y, z).⁹ A *vocabulary* is a subset of **UL** and we assume that **U** contains the *pdf* vocabulary -see Eq. (4). A *triple* is of the form

$$(s, p, o) \in \mathbf{UBL} \times \mathbf{U} \times \mathbf{UBL},$$

where $s, o \notin \text{pdf}$. We call s the *subject*, p the *predicate*, and o the *object*. A *graph* (or *RDF Knowledge Base*) G is a set of triples τ . A subgraph is a subset of a graph. The *universe* of G , denoted $\text{uni}(G)$, is the set of terms in **UBL** that occur in the triples of G . The *vocabulary* of G , denoted by $\text{voc}(G)$ is the set $\text{uni}(G) \cap \mathbf{UL}$. A graph is *ground* if it has no blank nodes, *i.e.*, variables. A *map* (or *variable assignment*) is a function $\mu : \mathbf{UBL} \rightarrow \mathbf{UBL}$ preserving URIs and literals, *i.e.*, $\mu(t) = t$, for all $t \in \mathbf{UL}$. Given a graph G , we define

$$\mu(G) = \{(\mu(s), \mu(p), \mu(o)) \mid (s, p, o) \in G\}.$$

We speak of a map μ from G_1 to G_2 , and write $\mu : G_1 \rightarrow G_2$, if μ is such that $\mu(G_1) \subseteq G_2$.

Example 1 (Running example). *The following is a pdf graph:*¹⁰

$G = \{(\text{paracetamol}, \text{type}, \text{antipyretic}),$
 $(\text{antipyretic}, \text{sc}, \text{drugTreatment}),$
 $(\text{morphine}, \text{type}, \text{opioid}), (\text{opioid}, \text{sc}, \text{drugTreatment}),$
 $(\text{drugTreatment}, \text{sc}, \text{treatment}),$
 $(\text{brainTumour}, \text{type}, \text{tumour}),$
 $(\text{hasDrugTreatment}, \text{sp}, \text{hasTreatment}),$
 $(\text{hasTreatment}, \text{dom}, \text{illness}),$
 $(\text{hasTreatment}, \text{range}, \text{treatment}),$
 $(\text{hasDrugTreatment}, \text{range}, \text{drugTreatment}),$
 $(\text{fever}, \text{hasDrugTreatment}, \text{paracetamol})$
 $(\text{brainTumour}, \text{hasDrugTreatment}, \text{morphine}) \}.$

Semantics. A *pdf interpretation* \mathcal{I} over a vocabulary V is a tuple

$$\mathcal{I} = \langle \Delta_R, \Delta_P, \Delta_C, \Delta_L, P[\cdot], C[\cdot], \cdot^{\mathcal{I}} \rangle,$$

where the finite non-empty sets $\Delta_R, \Delta_P, \Delta_C, \Delta_L$ are the interpretation domains of \mathcal{I} and $P[\cdot], C[\cdot], \cdot^{\mathcal{I}}$ are the interpretation functions of \mathcal{I} . They have to satisfy:

1. Δ_R are the resources;
2. Δ_P are property names;
3. $\Delta_C \subseteq \Delta_R$ are the classes;
4. $\Delta_L \subseteq \Delta_R$ are the literal values and contains all the literals in $\mathbf{L} \cap V$;
5. $P[\cdot]$ is a function $P[\cdot] : \Delta_P \rightarrow 2^{\Delta_R \times \Delta_R}$;
6. $C[\cdot]$ is a function $C[\cdot] : \Delta_C \rightarrow 2^{\Delta_R}$;

⁹All symbols may have upper or lower script.

¹⁰For ease of presentation, we use the terms paracetamol, antipyretic, morphine and opioid to mean paracetamol-, antipyretic-, morphine- and opioid-treatment, respectively.

7. $\cdot^{\mathcal{I}}$ maps each $t \in \mathbf{UL} \cap V$ into a value $t^{\mathcal{I}} \in \Delta_R \cup \Delta_P$, where $\cdot^{\mathcal{I}}$ is the identity for literals; and
8. $\cdot^{\mathcal{I}}$ maps each variable $x \in \mathbf{B}$ into a value $x^{\mathcal{I}} \in \Delta_R$.

As next, for space reasons and without loosing the substantial ingredients, we illustrate the so-called *reflexive-relaxed pdf semantics* (Muñoz, Pérez, and Gutierrez 2009, Definition 12), in which the predicates *sc* and *sp* are *not* assumed to be reflexive. Informally, the notion entailment is defined using the idea of *satisfaction* of a graph under certain interpretation. Intuitively a ground triple (s, p, o) in an RDF graph G will be true under the interpretation \mathcal{I} if p is interpreted as a property name, s and o are interpreted as resources, and the interpretation of the pair (s, o) belongs to the extension of the property assigned to p . Moreover, blank nodes, *i.e.*, variables, work as existential variables. Intuitively the triple (x, p, o) with $x \in \mathbf{B}$ will be true under \mathcal{I} if \mathcal{I} maps x into a resource s such that the pair (s, o) belongs to the extension of the property assigned to p . Formally,

Definition 1 (Model/Satisfaction/Entailment \models). A *pdf interpretation* \mathcal{I} is a model of a *pdf graph* G , denoted $\mathcal{I} \models G$, if and only if \mathcal{I} is an interpretation over the vocabulary *pdf* $\cup \text{uni}(G)$ such that:

Simple:

1. for each $(s, p, o) \in G$, $p^{\mathcal{I}} \in \Delta_P$ and $(s^{\mathcal{I}}, o^{\mathcal{I}}) \in P[p^{\mathcal{I}}]$;

Subproperty:

1. $P[\text{sp}^{\mathcal{I}}]$ is transitive over Δ_P ;
2. if $(p, q) \in P[\text{sp}^{\mathcal{I}}]$ then $p, q \in \Delta_P$ and $P[p] \subseteq P[q]$;

Subclass:

1. $P[\text{sc}^{\mathcal{I}}]$ is transitive over Δ_C ;
2. if $(c, d) \in P[\text{sc}^{\mathcal{I}}]$ then $c, d \in \Delta_C$ and $C[c] \subseteq C[d]$;

Typing I:

1. $x \in C[c]$ if and only if $(x, c) \in P[\text{type}^{\mathcal{I}}]$;
2. if $(p, c) \in P[\text{dom}^{\mathcal{I}}]$ and $(x, y) \in P[p]$ then $x \in C[c]$;
3. if $(p, c) \in P[\text{range}^{\mathcal{I}}]$ and $(x, y) \in P[p]$ then $y \in C[c]$;

Typing II:

1. for each $e \in \text{pdf}$, $e^{\mathcal{I}} \in \Delta_P$;
2. if $(p, c) \in P[\text{dom}^{\mathcal{I}}]$ then $p \in \Delta_P$ and $c \in \Delta_C$;
3. if $(p, c) \in P[\text{range}^{\mathcal{I}}]$ then $p \in \Delta_P$ and $c \in \Delta_C$;
4. if $(x, c) \in P[\text{type}^{\mathcal{I}}]$ then $c \in \Delta_C$.

A graph G is satisfiable if it has a model \mathcal{I} . Moreover, given two graphs G and H , G entails H , denoted $G \models H$, if and only if every model of G is also a model of H .

Example 2. From G in Example 1, it can be shown that $G \models \{(\text{fever}, \text{hasTreatment}, x), (x, \text{type}, \text{drugTreatment})\}$.

Deductive System for pdf. We recap the sound and complete deductive system for *pdf* (Muñoz, Pérez, and Gutierrez 2009). In every rule, A, B, C, D, E, X and Y stand for meta-variables to be replaced by actual terms. An *instantiation* of a rule is obtained by replacing all meta-variables with terms such that all triples after the replacement are *pdf* triples.

Definition 2 (Deductive rules for ρdf). *The deductive rules for ρdf are the following:*

1. *Simple:*
 - (a) $\frac{G}{G'}$ for a map $\mu: G' \rightarrow G$ (b) $\frac{G}{G'}$ for $G' \subseteq G$
2. *Subproperty:*
 - (a) $\frac{(A,\text{sp},B),(B,\text{sp},C)}{(A,\text{sp},C)}$ (b) $\frac{(D,\text{sp},E),(X,D,Y)}{(X,E,Y)}$
3. *Subclass:*
 - (a) $\frac{(A,\text{sc},B),(B,\text{sc},C)}{(A,\text{sc},C)}$ (b) $\frac{(A,\text{sc},B),(X,\text{type},A)}{(X,\text{type},B)}$
4. *Typing:*
 - (a) $\frac{(D,\text{dom},B),(X,D,Y)}{(X,\text{type},B)}$ (b) $\frac{(D,\text{range},B),(X,D,Y)}{(Y,\text{type},B)}$
5. *Implicit Typing:*
 - (a) $\frac{(A,\text{dom},B),(D,\text{sp},A),(X,D,Y)}{(X,\text{type},B)}$
 - (b) $\frac{(A,\text{range},B),(D,\text{sp},A),(X,D,Y)}{(Y,\text{type},B)}$

Definition 3 (Derivation \vdash). *Let G and H be ρdf -graphs.*

$G \vdash H$ if and only if there exists a sequence of graphs P_1, P_2, \dots, P_k with $P_1 = G$ and $P_k = H$ and for each j ($2 \leq j \leq k$) one of the following cases hold:

- there is a map $\mu: P_j \rightarrow P_{j-1}$ (rule (1a));
- $P_j \subseteq P_{j-1}$ (rule (1b));
- there is an instantiation R/R' of one of the rules (2)-(5), such that $R \subseteq P_{j-1}$ and $P_j = P_{j-1} \cup R'$.

Such a sequence of graphs is called a *proof* of $G \vdash H$.

Whenever $G \vdash H$, we say that the graph H is *derived* from the graph G . Each pair (P_{j-1}, P_j) , $1 \leq j \leq k$ is called a *step* of the proof which is labeled by the respective instantiation R/R' of the rule applied at the step.

Please note that if $G \vdash H$ then H is indeed a graph. Finally, the *closure* of a graph G , denoted $\text{Cl}(G)$, is defined as

$$\text{Cl}(G) = \{\tau \mid G \vdash^* \tau\},$$

where \vdash^* is as \vdash except that rule (1a) is excluded.

Example 3. *Consider Example 1. Then it can be verified that $\text{Cl}(G) \supseteq \{(\text{morphine}, \text{type}, \text{drugTreatment}), (\text{brainTumour}, \text{type}, \text{illness})\}$.*

The following proposition recaps salient results taken from (Gutiérrez et al. 2011; Muñoz, Pérez, and Gutierrez 2009; ter Horst 2005)

Proposition 1. *Every ρdf -graph is satisfiable. Moreover, let G and H be ρdf -graphs. Then*

1. $G \vdash H$ if and only if $G \models H$;
2. if $G \models H$ then there is a proof of H from G where rule (1a) is used at most once and at the end;
3. the closure of G is unique and $|\text{Cl}(G)| \in \Theta(|G|^2)$;
4. deciding $G \models H$ is an NP-complete problem;
5. if G is ground then $\text{Cl}(G)$ can be determined without using implicit typing rules (5);
6. if H is ground, then $G \models H$ if and only if $H \subseteq \text{Cl}(G)$;

7. There is no triple τ such that $\emptyset \models \tau$.

Remark 1. *Please note that: (i) a proof of NP-completeness of point 4. above can be found in (ter Horst 2005, Proposition 2.19) via a reduction of the k -clique problem encoding an undirected graph G into a ρdf graph G' (an edge $\langle v, w \rangle$ is encoded via two triples (v, e, w) and (w, e, v)) and H' consists of the triples (x, e, y) , where x and y are distinct variables of new set of k blank nodes. Then, G has a clique of size $\geq k$ iff $G' \models H'$, i.e., there is a map $\mu: H' \rightarrow G'$; and (ii) concerning the size of the closure, the lower bound is determined by triples $(p_1, \text{sp}, p_2), \dots, (p_n, \text{sp}, p_{n+1})$, whose closure's size is $\Omega(n^2)$ via rule (2a). The upper bound follows by an analysis of the rules, where the important point is the propagation of triples (s, p, o) via rule (2b). This gives at most a quadratic upper bound (for triples with fixed predicate, the quadratic bound is trivial).*

Note that from Proposition 1 it follows that deciding if, for two ground ρdf -graphs G and H , $G \models H$ can be done in time $O(|H||G|^2)$ by computing first the closure of G and then check whether H is in that closure. An alternative method not requiring to compute the closure with a computational benefit is illustrated by the following proposition:

Proposition 2 (Muñoz, Pérez, and Gutierrez 2009). *Let G and H be two ground ρdf graphs. Then deciding if $G \models H$ can be done in time $O(|H||G| \log |G|)$. The result holds also in case each triple in H has at most one blank node.*

3 Extending ρdf with Negative Statements

In this section, we show how to extend ρdf allowing to represent negative statements.

3.1 Syntax

To start with, consider a new pair of predicates, \perp_c and \perp_p , used to represent disjoint information: e.g., (i) (c, \perp_c, d) indicates that the classes c and d are disjoint; analogously, (ii) (p, \perp_p, q) indicates that the properties p and q are disjoint.

We call ρdf_\perp the vocabulary obtained from ρdf by adding \perp_c and \perp_p , that is,

$$\rho\text{df}_\perp = \rho\text{df} \cup \{\perp_c, \perp_p\}. \quad (5)$$

Like for ρdf , we assume that \mathbf{U} contains the ρdf_\perp vocabulary. Now we extend the alphabet \mathbf{U} in the following way:

1. for each (atomic) resource $r \in \mathbf{U} \setminus \rho\text{df}_\perp$, we add to \mathbf{U} a new *negated resource* $\neg r$ of r . Let \mathbf{U}' be the resulting alphabet. We will use the convention that $\neg r$ is r . Informally, $\neg r$ is intended to represent the complement of r . So, for instance, $(\text{paracetamol}, \text{type}, \neg \text{opioid})$ may encode “paracetamol is a non opioid treatment”;
2. for each resource $c \in \mathbf{U}' \setminus \rho\text{df}_\perp$, we add to \mathbf{U}' a new resource of the form \star_c . Let \mathbf{U}'' be the resulting alphabet. Informally, e.g., a triple (s, p, \star_c) represents an universal quantification on the third argument over instance of class c , i.e., (s, p, t) is true for all $t \in$

ρdf_{\perp}^{\neg}	FOL
$(s, \neg p, o)$	$\neg p(s, o)$
$(s, \neg p, x)$	$\exists x. \neg p(s, x)$
$(a, \text{type}, \neg c)$	$\neg c(a)$
$(c, \text{sc}, \neg d)$	$\forall x. c(x) \rightarrow \neg d(x)$
$(p, \text{dom}, \neg c)$	$\forall x \forall y. p(x, y) \rightarrow \neg c(x)$
$(\neg p, \text{range}, d)$	$\forall x \forall y. \neg p(x, y) \rightarrow d(y)$
$(c, \perp_c, \neg d)$	$\forall x. c(x) \wedge \neg d(x) \rightarrow \perp$
$(\neg p, \perp_p, q)$	$\forall x \forall y. \neg p(x, y) \wedge q(x, y) \rightarrow \perp$
(\star_c, p, o)	$\forall x. c(x) \rightarrow p(x, o)$
$(s, \neg p, \star_c)$	$\forall y. c(y) \rightarrow \neg p(s, y)$ (i.e., $\neg \exists y. c(y) \wedge p(s, y)$)

Table 1: Informal FOL reading of some types of ρdf_{\perp}^{\neg} -triples.

UL that are instances of the class c . For instance, $(\text{ebola}, \neg \text{hasTreatment}, \star_{\text{treatment}})$ may encode (3);¹¹

3. finally, let \mathbf{U} be \mathbf{U}'' .

Now, the definition of ρdf_{\perp}^{\neg} -triples extends the one for ρdf -triples in the following way:

Definition 4 (ρdf_{\perp}^{\neg} -triple). A ρdf_{\perp}^{\neg} -triple is of the form $(s, p, o) \in \mathbf{UBL} \times \mathbf{U} \times \mathbf{UBL}$, where

1. $s, o \notin \rho df_{\perp}$;
2. p is not of the form \star_c ;
3. s and o can not be both of the form \star_c ;
4. if $p \in \rho df_{\perp}$ then neither s nor o are of the form \star_c .

In Table 1, to ease the reading, we provide an informal FOL reading of various additional (non exhaustive) types of triples supported in ρdf_{\perp}^{\neg} .¹²

Example 4. In the context of Example 1, let us extend the graph G with:

$$G := G \cup \{(\text{opioid}, \perp_c, \text{antipyretic}),$$

$$(\neg \text{drugTreatment}, \text{sc}, \text{treatment}),$$

$$(\neg \text{hasDrugTreatment}, \text{sp}, \text{hasTreatment}),$$

$$(\neg \text{hasDrugTreatment}, \text{range}, \neg \text{drugTreatment}),$$

$$(\text{brainTumour}, \neg \text{hasDrugTreatment}, \text{radioTherapy}),$$

$$(\neg \text{hasTreatment}, \text{dom}, \text{illness}),$$

$$(\neg \text{hasTreatment}, \text{range}, \text{treatment}),$$

$$(\text{ebola}, \neg \text{hasTreatment}, \star_{\text{treatment}})\}.$$

3.2 Semantics

The semantics of ρdf_{\perp}^{\neg} has the following objectives:

1. we accommodate the new constructs in such a way that the resulting deductive system will be as for ρdf , plus some additional rules and, thus, any RDFS reasoner/store may handle the new triples as ordinary triples if it does not want to take account of the extra inference capabilities;
2. the semantics has to be such that, despite introducing negative statements, all ρdf_{\perp}^{\neg} graphs have a canonical model (see Corollary 1 later on), and, thus, ρdf_{\perp}^{\neg} remains a *paraconsistent* logic; and

¹¹In the sense that “none of the treatments are treatments for ebola”

¹²The FOL reading is ‘informal’ as the translation isn’t a bijection, e.g., we have a 4-valued intentional semantics and individuals may be classes, which may be negated.

3. deciding entailment in ρdf_{\perp}^{\neg} still ranges from P to NP.

To do so, we will consider a *four-valued* logic semantics (Belnap 1977) variant of the semantics for ρdf . Specifically, we will have *positive extensions* of \mathbf{P}^{\square} and \mathbf{C}^{\square} (denoted $\mathbf{P}^{+\square}$ and $\mathbf{C}^{+\square}$, respectively) and *negative extensions* of \mathbf{P}^{\square} and \mathbf{C}^{\square} (denoted $\mathbf{P}^{-\square}$ and $\mathbf{C}^{-\square}$, respectively). Roughly, $\mathbf{C}^{+}[c]$ will denote the set of resources *known to be* instances of class c , while $\mathbf{C}^{-}[c]$ will denote the set of resources *known not to be* instances of class c (for properties the case is similar). Note that positive and negative extensions need not to be the complement of each other: e.g., $r \notin \mathbf{C}^{+}[c]$ does not imply necessarily that $r \in \mathbf{C}^{-}[c]$ as $\mathbf{C}^{-}[c]$ will not enforced to be e.g., $\Delta_R \setminus \mathbf{C}^{+}[c]$.

The idea of having separate positive and negative extensions is not new at all and we may find already traces of it back in the mid 80s with the seminal work of Patel-Schneider (Patel-Schneider 1985; Patel-Schneider 1986; Patel-Schneider 1987; Patel-Schneider 1988; Patel-Schneider 1989) in which four-valued variants of *Terminological Logics* (TLs), viz., the so-called *Description Logics* (DLs) (Baader et al. 2007) nowadays, have been proposed with the aim to obtain some gain from a computational complexity point of view. Later the works (Straccia 1997a; Straccia 1997b; Straccia 1999; Straccia 2000) have been inspired by the same idea, though also to model some sort of *relevance entailment*, besides being paraconsistent. More recently, a similar idea has been considered also in the context of RDFS (Analyti et al. 2004; Analyti et al. 2005; Analyti et al. 2013; Analyti, Damásio, and Antoniou 2015), which is also the semantics we start from and are going to adapt and extend to meet the before mentioned objectives.

A ρdf_{\perp}^{\neg} interpretation \mathcal{I} over a vocabulary V is a tuple

$$\mathcal{I} = \langle \Delta_R, \Delta_P, \Delta_C, \Delta_L, \mathbf{P}^{+}[\cdot], \mathbf{P}^{-}[\cdot], \mathbf{C}^{+}[\cdot], \mathbf{C}^{-}[\cdot], \cdot^{\mathcal{I}} \rangle,$$

where the finite non-empty sets $\Delta_R, \Delta_P, \Delta_C, \Delta_L$ are the interpretation domains of \mathcal{I} and $\mathbf{P}^{+}[\cdot], \mathbf{P}^{-}[\cdot], \mathbf{C}^{+}[\cdot], \mathbf{C}^{-}[\cdot], \cdot^{\mathcal{I}}$ are the interpretation functions of \mathcal{I} . They have to satisfy:

1. Δ_R are the resources;
2. Δ_P are property names;
3. $\Delta_C \subseteq \Delta_R$ are the classes;
4. for each domain Δ_R, Δ_P and Δ_C , for each term t in it, there is an unique designated complement term of t , denoted $\neg t$, in it;¹³
5. $\Delta_L \subseteq \Delta_R$ are the literal values and contains all the literals in $\mathbf{L} \cap V$;
6. $\mathbf{P}^{+}[\cdot]$ and $\mathbf{P}^{-}[\cdot]$ are functions $\Delta_P \rightarrow 2^{\Delta_R \times \Delta_R}$ such that $\mathbf{P}^{+}[\neg p] = \mathbf{P}^{-}[p]$, for each $p \in \Delta_P$;
7. $\mathbf{C}^{+}[\cdot]$ and $\mathbf{C}^{-}[\cdot]$ are functions $\Delta_C \rightarrow 2^{\Delta_R}$ such that $\mathbf{C}^{+}[\neg c] = \mathbf{C}^{-}[c]$, for each $c \in \Delta_C$;
8. $\cdot^{\mathcal{I}}$ maps each $t \in \mathbf{UL} \cap V$, that is not of the form \star_c , into a value $t^{\mathcal{I}} \in \Delta_R \cup \Delta_P$, such that $(\neg t)^{\mathcal{I}} = \neg t^{\mathcal{I}}$ and $\cdot^{\mathcal{I}}$ is the identity for literals; and
9. $\cdot^{\mathcal{I}}$ maps each variable $x \in \mathbf{B}$ into a value $x^{\mathcal{I}} \in \Delta_R$.

¹³As for \mathbf{U} , we will use the convention that $\neg \neg t$ is t .

In the following, we define

$$\begin{aligned} P^+ \llbracket p \rrbracket \uparrow &= \{x \in \Delta_R \mid (x, y) \in P^+ \llbracket p \rrbracket\} \\ P^+ \llbracket p \rrbracket \downarrow &= \{y \in \Delta_R \mid (x, y) \in P^+ \llbracket p \rrbracket\} \\ P^- \llbracket p \rrbracket \uparrow &= \{x \in \Delta_R \mid (x, y) \in P^- \llbracket p \rrbracket\} \\ P^- \llbracket p \rrbracket \downarrow &= \{y \in \Delta_R \mid (x, y) \in P^- \llbracket p \rrbracket\} \end{aligned}$$

as the projections of the property extension functions $P^+ \llbracket \cdot \rrbracket$ and $P^- \llbracket \cdot \rrbracket$ on the first and second argument, respectively.

Now, the model/satisfaction/entailment definitions for ρdf are generalised to ρdf_{\perp} as follows:

Definition 5 (Model/Satisfaction/Entailment $\frac{\perp}{\perp}$). A ρdf_{\perp} interpretation \mathcal{I} is a ρdf_{\perp} -model of a ρdf_{\perp} graph G , denoted $\mathcal{I} \models_{\perp} G$, if and only if \mathcal{I} is a ρdf_{\perp} -interpretation over the vocabulary $\rho df_{\perp} \cup \text{uni}(G)$ such that:

Simple:

1. if $(s, p, o) \in G$ and neither s nor o are of the form \star_c , then $p^{\mathcal{I}} \in \Delta_P$ and $(s^{\mathcal{I}}, o^{\mathcal{I}}) \in P^+ \llbracket p^{\mathcal{I}} \rrbracket$;
2. if $(s, p, \star_c) \in G$, then $p^{\mathcal{I}} \in \Delta_P$, $c^{\mathcal{I}} \in \Delta_C$ and $(s^{\mathcal{I}}, y) \in P^+ \llbracket p^{\mathcal{I}} \rrbracket$, for all $y \in C^+ \llbracket c^{\mathcal{I}} \rrbracket$;
3. if $(\star_c, p, s) \in G$, then $p^{\mathcal{I}} \in \Delta_P$, $c^{\mathcal{I}} \in \Delta_C$ and $(x, s^{\mathcal{I}}) \in P^+ \llbracket p^{\mathcal{I}} \rrbracket$, for all $x \in C^+ \llbracket c^{\mathcal{I}} \rrbracket$;
4. if $(s, p, \star_c) \in G$, then $p^{\mathcal{I}} \in \Delta_P$, $c^{\mathcal{I}} \in \Delta_C$ and $y \in C^- \llbracket c^{\mathcal{I}} \rrbracket$, for all $(s^{\mathcal{I}}, y) \in P^- \llbracket p^{\mathcal{I}} \rrbracket$;
5. if $(\star_c, p, s) \in G$, then $p^{\mathcal{I}} \in \Delta_P$, $c^{\mathcal{I}} \in \Delta_C$ and $x \in C^- \llbracket c^{\mathcal{I}} \rrbracket$, for all $(x, s^{\mathcal{I}}) \in P^- \llbracket p^{\mathcal{I}} \rrbracket$;

Subproperty:

1. $P^+ \llbracket sp^{\mathcal{I}} \rrbracket$ is transitive over Δ_P ;
2. if $(p, q) \in P^+ \llbracket sp^{\mathcal{I}} \rrbracket$ then $p, q \in \Delta_P$ and $P^+ \llbracket p \rrbracket \subseteq P^+ \llbracket q \rrbracket$;
3. $(p, q) \in P^+ \llbracket sp^{\mathcal{I}} \rrbracket$ if and only if $(\neg q, \neg p) \in P^+ \llbracket sp^{\mathcal{I}} \rrbracket$;

Subclass:

1. $P^+ \llbracket sc^{\mathcal{I}} \rrbracket$ is transitive over Δ_C ;
2. if $(c, d) \in P^+ \llbracket sc^{\mathcal{I}} \rrbracket$ then $c, d \in \Delta_C$ and $C^+ \llbracket c \rrbracket \subseteq C^+ \llbracket d \rrbracket$;
3. $(c, d) \in P^+ \llbracket sc^{\mathcal{I}} \rrbracket$ if and only if $(\neg d, \neg c) \in P^+ \llbracket sc^{\mathcal{I}} \rrbracket$;

Typing I:

1. $x \in C^+ \llbracket c \rrbracket$ if and only if $(x, c) \in P^+ \llbracket \text{type}^{\mathcal{I}} \rrbracket$;
2. if $(p, c) \in P^+ \llbracket \text{dom}^{\mathcal{I}} \rrbracket$ and $(x, y) \in P^+ \llbracket p \rrbracket$ then $x \in C^+ \llbracket c \rrbracket$;
3. if $(p, c) \in P^+ \llbracket \text{range}^{\mathcal{I}} \rrbracket$ and $(x, y) \in P^+ \llbracket p \rrbracket$ then $y \in C^+ \llbracket c \rrbracket$;
4. if $(p, c) \in P^+ \llbracket \text{dom}^{\mathcal{I}} \rrbracket$, $x \in C^- \llbracket c \rrbracket$ and $y \in P^+ \llbracket p \rrbracket \downarrow$ then $(x, y) \in P^- \llbracket p \rrbracket$;
5. if $(p, c) \in P^+ \llbracket \text{range}^{\mathcal{I}} \rrbracket$, $y \in C^- \llbracket c \rrbracket$ and $x \in P^+ \llbracket p \rrbracket \uparrow$ then $(x, y) \in P^- \llbracket p \rrbracket$;

Typing II:

1. For each $e \in \rho df_{\perp}$, $e^{\mathcal{I}} \in \Delta_P$;
2. if $(p, c) \in P^+ \llbracket \text{dom}^{\mathcal{I}} \rrbracket$ then $p \in \Delta_P$ and $c \in \Delta_C$;
3. if $(p, c) \in P^+ \llbracket \text{range}^{\mathcal{I}} \rrbracket$ then $p \in \Delta_P$ and $c \in \Delta_C$;
4. if $(x, c) \in P^+ \llbracket \text{type}^{\mathcal{I}} \rrbracket$ then $c \in \Delta_C$;

Disjointness I:

1. if $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$ then $c, d \in \Delta_C$;
2. if $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$ then $p, q \in \Delta_P$;
3. $P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$ is symmetric, sub-transitive and exhaustive over Δ_C ;

Symmetry: if $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$, then $(d, c) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$;

Sub-Transitivity: if $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$ and $(e, c) \in P^+ \llbracket sc^{\mathcal{I}} \rrbracket$, then $(e, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$;

Exhaustive: if $(c, c) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$ and $d \in \Delta_C$ then $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$;

4. $P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$ is symmetric, sub-transitive and exhaustive over Δ_P ;

Symmetry: If $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$, then $(q, p) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$;

Sub-Transitivity: if $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$ and $(r, p) \in P^+ \llbracket sp^{\mathcal{I}} \rrbracket$, then $(r, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$;

Exhaustive: if $(p, p) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$ and $q \in \Delta_P$ then $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$;

Disjointness II:

1. if $(p, c) \in P^+ \llbracket \text{dom}^{\mathcal{I}} \rrbracket$, $(q, d) \in P^+ \llbracket \text{dom}^{\mathcal{I}} \rrbracket$, and $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$, then $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$;
2. if $(p, c) \in P^+ \llbracket \text{range}^{\mathcal{I}} \rrbracket$, $(q, d) \in P^+ \llbracket \text{range}^{\mathcal{I}} \rrbracket$, and $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$, then $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$;
3. $(c, d) \in P^+ \llbracket \perp_c^{\mathcal{I}} \rrbracket$ if and only if $(c, \neg d) \in P^+ \llbracket sc^{\mathcal{I}} \rrbracket$;
4. $(p, q) \in P^+ \llbracket \perp_p^{\mathcal{I}} \rrbracket$ if and only if $(p, \neg q) \in P^+ \llbracket sp^{\mathcal{I}} \rrbracket$.

A graph G is ρdf_{\perp} -satisfiable if it has a ρdf_{\perp} -model \mathcal{I} . Moreover, given two ρdf_{\perp} -graphs G and H , we say that G ρdf_{\perp} -entails H , denoted $G \models_{\perp} H$, if and only if every ρdf_{\perp} -model of G is also a ρdf_{\perp} -model of H .

In the following, if clear from the context, for ease of presentation, we will omit the prefix ρdf_{\perp} .

Remark 2 (About Definition 5). Note that:

1. the positive extension of a negated class is the negative extension of that class;
2. by construction, we also have that for $(s, \neg p, o) \in G$, $(s^{\mathcal{I}}, o^{\mathcal{I}}) \in P^+ \llbracket (\neg p)^{\mathcal{I}} \rrbracket = P^+ \llbracket \neg p^{\mathcal{I}} \rrbracket = P^- \llbracket p^{\mathcal{I}} \rrbracket$. That is, $(s, \neg p, o) \in G$ states that “ (s, o) belongs to the negative extension of p , i.e., s has a non p that is an o ”;
3. by construction, e.g., if $(c, d) \in P^+ \llbracket sc^{\mathcal{I}} \rrbracket$ then also $C^- \llbracket d \rrbracket \subseteq C^- \llbracket c \rrbracket$. Moreover, $x \in C^- \llbracket c \rrbracket$ if and only if $(x, \neg c) \in P^+ \llbracket \text{type}^{\mathcal{I}} \rrbracket$;
4. concerning e.g., point 5 in Typing I, the informal reading of (p, range, c) is $\forall x. \forall y. p(x, y) \rightarrow c(y)$ and $\forall x. \forall y \in p \downarrow. \neg c(y) \rightarrow \neg p(x, y)$. In the latter case, the aim is to limit the universal quantification in a reasonable way;
5. the presence of e.g., (a, type, b) , (a, type, c) and (b, \perp_c, c) in a graph does not preclude its satisfiability. In fact, a ρdf_{\perp} graph will always be satisfiable (see Corollary 1 later on) avoiding, thus, the *ex falso quodlibet* principle. This is in line with the ρdf semantics (Muñoz, Pérez, and Gutierrez 2009);

6. concerning the exhaustive property in Disjointness I: classically, c disjoint d means that the intersection of c and d is empty. So, c disjoint c tells us that c is empty, so disjoint from any other class. We preserved this property within our semantics.

Example 5. Consider Example 4. Then, it may be verified that

$$G \models \{(\text{brainTumor}, \text{hasTreatment}, x), \\ (x, \text{type}, \neg \text{antipyretic})\} \quad (6)$$

$$G \models (\text{ebola}, \neg \text{hasTreatment}, \text{paracetamol}) \quad (7)$$

$$G \not\models (\text{ebola}, \neg \text{hasTreatment}, \text{ebola}). \quad (8)$$

Note that the last entailment does not hold as “ebola is not a treatment”, which instead would hold without the restriction on the domain of the universal quantification.

Remark 3. As anticipated in the related work section, (Darari, Prasojo, and Nutt 2015) considers expressions of the form

$$\text{No}(\{(s_1, p_1, o_1), \dots, (s_n, p_n, o_n)\}) \quad (9)$$

in informal FOL terms $\neg \exists x. (p_1(s_1, o_1) \wedge \dots \wedge p_n(s_n, o_n))$, or equivalently, $\forall x. (\neg p_1(s_1, o_1) \vee \dots \vee \neg p_n(s_n, o_n))$, where x are the variables occurring in the triples. For instance,

$$\text{No}(\{(\text{obama}, \text{child}, x), (x, \text{gender}, \text{male})\}) \quad (10)$$

expresses that “Obama has no son”.

$\text{pdf}_{\perp}^{\neg}$ considers only the case $n = 1$ in (9) via the expression $(s, \neg p, \star_c)$ as the general case would introduce a disjunction, which we would like to avoid for computational reasons. Nevertheless, we may consider the option to use e.g., $(\text{obama}, \neg \text{child}, \star_{\text{malePerson}})$ instead to express (10).

3.3 Deductive System for $\text{pdf}_{\perp}^{\neg}$

We now present a deductive system for $\text{pdf}_{\perp}^{\neg}$.

Definition 6 (Deductive rules for $\text{pdf}_{\perp}^{\neg}$). The deductive rules for $\text{pdf}_{\perp}^{\neg}$ are all rules for pdf to which we add the following rules (Z is an additional meta-variable):

2. Subproperty:

$$(c) \frac{(A, \text{sp}, B)}{(\neg B, \text{sp}, \neg A)}$$

$$(d) \frac{(A, D, \star_C), (D, \text{sp}, E)}{(A, E, \star_C)} \quad (e) \frac{(\star_C, D, A), (D, \text{sp}, E)}{(\star_C, E, A)}$$

3. Subclass:

$$(c) \frac{(A, \text{sc}, B)}{(\neg B, \text{sc}, \neg A)}$$

$$(d) \frac{(A, D, \star_C), (B, \text{sc}, C)}{(A, D, \star_B)} \quad (e) \frac{(\star_C, D, A), (B, \text{sc}, C)}{(\star_B, D, A)}$$

4. Typing:

$$(c) \frac{(D, \text{dom}, B), (X, \text{type}, \neg B), (Z, D, Y)}{(X, \neg D, Y)}$$

$$(d) \frac{(D, \text{range}, B), (Y, \text{type}, \neg B), (X, D, Z)}{(X, \neg D, Y)}$$

$$(e) \frac{(A, D, \star_C), (Y, \text{type}, C)}{(A, D, Y)} \quad (f) \frac{(\star_C, D, B), (X, \text{type}, C)}{(X, D, B)}$$

$$(g) \frac{(A, D, \star_C), (A, \neg D, Y)}{(Y, \text{type}, \neg C)} \quad (h) \frac{(\star_C, D, B), (X, \neg D, B)}{(X, \text{type}, \neg C)}$$

6. Conceptual Disjointness:

$$(a) \frac{(A, \perp_c, B)}{(B, \perp_c, A)} \quad (b) \frac{(A, \perp_c, B), (C, \text{sc}, A)}{(C, \perp_c, B)}$$

$$(c) \frac{(A, \perp_c, A)}{(A, \perp_c, B)} \quad (d) \frac{(A, \perp_c, B)}{(A, \text{sc}, \neg B)}$$

$$(e) \frac{(A, \text{sc}, B)}{(A, \perp_c, \neg B)}$$

7. Predicate Disjointness:

$$(a) \frac{(A, \perp_p, B)}{(B, \perp_p, A)} \quad (b) \frac{(A, \perp_p, B), (C, \text{sp}, A)}{(C, \perp_p, B)}$$

$$(c) \frac{(A, \perp_p, A)}{(A, \perp_p, B)} \quad (d) \frac{(A, \perp_p, B)}{(A, \text{sp}, \neg B)}$$

$$(e) \frac{(A, \text{sp}, B)}{(A, \perp_p, \neg B)}$$

8. Crossed Disjointness:

$$(a) \frac{(A, \text{dom}, C), (B, \text{dom}, D), (C, \perp_c, D)}{(A, \perp_p, B)}$$

$$(b) \frac{(A, \text{range}, C), (B, \text{range}, D), (C, \perp_c, D)}{(A, \perp_p, B)}$$

Now, the definition of derivation among $\text{pdf}_{\perp}^{\neg}$ -graphs G and H , denoted $G \models_{\perp} H$, is as for pdf (see Definition 3), except that, of course, we now consider all rules of Definition 6 instead. Similarly, the $\text{pdf}_{\perp}^{\neg}$ -closure of a graph G , denoted $\text{Cl}_{\perp}^{\neg}(G)$, is defined as

$$\text{Cl}_{\perp}^{\neg}(G) = \{\tau \mid G \models_{\perp}^* \tau\},$$

where \models_{\perp}^* is as \models_{\perp} except that rule (1a) is excluded.

Example 6. The following is a simple proof of Eq. (6):

- | | | |
|------|---|----------------------|
| (1) | (opioid, \perp_c , antipyretic) | Rule (1b) |
| (2) | (opioid, sc, \neg antipyretic) | Rule (6d) : (1) |
| (3) | (morphine, type, opioid) | Rule (1b) |
| (4) | (morphine, type, \neg antipyretic) | Rule (3b) : (2), (3) |
| (5) | (brainTumour, hasDrugTreatment, morphine) | Rule (1b) |
| (10) | (brainTumor, hasTreatment, x) | |
| | (x , type, \neg antipyretic) | Rule (1a): (4), (5) |

In the following, we will also assume that the definition of entailment \models is extended naturally to $\text{pdf}_{\perp}^{\neg}$ -graphs by considering \perp_c , \perp_p , $\neg p$ and \star_c as resources without any specific semantic constraint. In a similar way, we assume \vdash (and $\text{Cl}(\cdot)$) to be extended to $\text{pdf}_{\perp}^{\neg}$ -graphs by assuming that triples involving \perp_c , \perp_p , $\neg p$ and \star_c are considered as pdf triples. Then, the following can easily be proven:

Proposition 3. Let G and H be two $\text{pdf}_{\perp}^{\neg}$ -graphs. Then,

1. if $G \models H$ then $G \models_{\perp} H$;
2. if $G \vdash H$ then $G \models_{\perp} H$;
3. $\text{Cl}(G) \subseteq \text{Cl}_{\perp}^{\neg}(G)$.

Of course, conditions 1.-3. above do not hold in general for the opposite direction. For instance, for $G = \{(a, \perp_c, b)\}$ we have $G \not\models (a, \text{sc}, \neg b)$, $G \not\vdash (a, \text{sc}, \neg b)$ and $(a, \text{sc}, \neg b) \notin \text{Cl}(G)$, but $G \models_{\perp} (a, \text{sc}, \neg b)$ and $(a, \text{sc}, \neg b) \in \text{Cl}_{\perp}^{\neg}(G)$.

The next proposition shows the construction of the *canonical model* for $\text{pdf}_{\perp}^{\neg}$ graphs and extends the result for pdf (see Proposition 1), i.e., all $\text{pdf}_{\perp}^{\neg}$ -graphs G are satisfiable.

Proposition 4 (ρdf_{\perp}^{\neg} Canonical model). *Given a ρdf_{\perp}^{\neg} -graph G , define a ρdf_{\perp}^{\neg} interpretation \mathcal{I}_G as a tuple*

$$\mathcal{I}_G = \langle \Delta_R, \Delta_P, \Delta_C, \Delta_L, P^+[\cdot], P^-[\cdot], C^+[\cdot], C^-[\cdot], \mathcal{I}_G \rangle$$

such that:

1. $\Delta_R := \text{uni}(G) \cup \{\neg r \mid r \in \text{uni}(G)\} \cup \rho df$;
2. $\Delta'_P := \{p \in \text{uni}(G) \mid \text{either } (s, p, o), (s, p, \star_c), (\star_c, p, o), (p, \text{sp}, q), (q, \text{sp}, p), (p, \text{dom}, c), (p, \text{range}, d) \text{ or } (p, \perp_p, q) \text{ is in } \text{Cl}_{\perp}^{\neg}(G)\} \cup \rho df_{\perp}^{\neg}$;
3. $\Delta_P := \Delta'_P \cup \{\neg p \mid p \in \Delta'_P\}$;
4. $\Delta'_C := \{c \in \text{uni}(G) \mid \text{either } (x, \text{type}, c), (c, \text{sc}, d), (d, \text{sc}, c), (p, \text{dom}, c), (p, \text{range}, c), (s, p, \star_c), (\star_c, p, o) \text{ or } (c, \perp_c, d) \text{ is in } \text{Cl}_{\perp}^{\neg}(G)\}$;
5. $\Delta_C := \Delta'_C \cup \{\neg c \mid c \in \Delta'_C\}$;
6. $\Delta_L := \text{uni}(G) \cap \mathbf{L}$;
7. $P^+[\cdot]$ and $P^-[\cdot]$ are extension functions $\Delta_P \rightarrow 2^{\Delta_R \times \Delta_R}$ s.t. $P^+[p] := \{(s, o) \mid (s, p, o) \in \text{Cl}_{\perp}^{\neg}(G)\}$ and $P^-[p] := P^+[\neg p]$;
8. $C^+[\cdot]$ and $C^-[\cdot]$ are extension functions $\Delta_C \rightarrow 2^{\Delta_R}$ s.t. $C^+[c] := \{x \in \text{uni}(G) \mid (x, \text{type}, c) \in \text{Cl}_{\perp}^{\neg}(G)\}$ and $C^-[c] := C^+[\neg c]$;
9. \mathcal{I}_G is the identity function over Δ_R .

Then, $\mathcal{I}_G \models_{\perp} G$.

Proof. We prove that \mathcal{I}_G satisfies the constraints in Definition 5. We illustrate here the proof of some of the conditions in Definition 5 only. The others can be worked out similarly.

Simple:

1. Suppose $(s, p, o) \in G$ and neither s nor o are of the form \star_c . Then by construction $p \in \Delta_P$ and $(s, o) \in P^+[p]$, which concludes.
2. Suppose $(s, p, \star_c) \in G$. Then, by construction $p \in \Delta_P$ and $c \in \Delta_C$. Now, assume $y \in C^+[c]$ and, thus, by construction $(y, \text{type}, c) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by rule (4e) we have also $(s, p, y) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, $(s, y) \in P^+[p]$ by construction, which concludes.

Subclass:

2. Assume $(c, d) \in P^+[\text{sc}]$. By construction, $(c, \text{sc}, d) \in \text{Cl}_{\perp}^{\neg}(G)$ and $c, d \in \Delta_C$. Now, assume $x \in C^+[c]$ and, thus, by construction $(x, \text{type}, c) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by rule (3b) we have also $(x, \text{type}, d) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, $x \in C^+[d]$ by construction. As a consequence, $C^+[c] \subseteq C^+[d]$. Eventually, assume $x \in C^-[d]$ and, thus, by construction both $x \in C^+[\neg d]$ and $(x, \text{type}, \neg d) \in \text{Cl}_{\perp}^{\neg}(G)$ hold. But, $(c, \text{sc}, d) \in \text{Cl}_{\perp}^{\neg}(G)$ implies, by rule (3c), $(\neg d, \text{sc}, \neg c) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by rule (3b) we have $(x, \text{type}, \neg c) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by construction $x \in C^+[\neg c] = C^-[c]$ and, thus, $C^-[d] \subseteq C^-[c]$, which concludes.

Typing I:

2. Assume $(p, c) \in P^+[\text{dom}^{\mathcal{I}}]$ and $(x, y) \in P^+[p]$. By construction, both (p, dom, c) and (x, p, y) are in $\text{Cl}_{\perp}^{\neg}(G)$. Therefore, by rule (4a), $(x, \text{type}, c) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by construction $x \in C^+[c]$, which concludes.

4. Assume $(p, c) \in P^+[\text{dom}^{\mathcal{I}}]$, $x \in C^-[c]$ and $y \in P^+[p]$. By construction, we have that $\{(p, \text{dom}, c), (x, \text{type}, \neg c), (z, p, y)\} \subseteq \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by rule (4c), $(x, \neg p, y) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by construction, $(x, y) \in P^+[\neg p] = P^-[p]$, which concludes.

Typing II:

2. Assume $(p, c) \in P^+[\text{dom}^{\mathcal{I}}]$. Then, by construction $(p, \text{dom}, c) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, $p \in \Delta'_P \subseteq \Delta_P$ and $c \in \Delta'_C \subseteq \Delta_C$, which concludes.

Disjointness I:

3. **Symmetry:** Assume $(c, d) \in P^+[\perp_c^{\mathcal{I}}]$. By construction, $(c, \perp_c, d) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by rule (4a) $(d, \perp_c, c) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by construction, $(d, c) \in P^+[\perp_c^{\mathcal{I}}]$, which concludes.

Disjointness II:

1. Assume $(p, c) \in P^+[\text{dom}^{\mathcal{I}}]$, $(q, d) \in P^+[\text{dom}^{\mathcal{I}}]$, and $(c, d) \in P^+[\perp_c^{\mathcal{I}}]$. Then, by construction, we have that $\{(p, \text{dom}, c), (q, \text{dom}, d), (c, \perp_c, d)\} \subseteq \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by rule (8a) $(p, \perp_p, q) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by construction, $(p, q) \in P^+[\perp_p^{\mathcal{I}}]$, which concludes.
3. If $(c, d) \in P^+[\perp_c^{\mathcal{I}}]$ then, by construction, $(c, \perp_c, d) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by rule (6d) $(c, \text{sc}, \neg d) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by construction, $(c, \neg d) \in P^+[\text{sc}^{\mathcal{I}}]$. Vice-versa, if $(c, \neg d) \in P^+[\text{sc}^{\mathcal{I}}]$ then by construction, $(c, \text{sc}, \neg d) \in \text{Cl}_{\perp}^{\neg}(G)$ and, thus, by rule (6e) $(c, \perp_c, d) \in \text{Cl}_{\perp}^{\neg}(G)$. Therefore, by construction, $(c, d) \in P^+[\perp_c^{\mathcal{I}}]$, which concludes.

□

By Proposition 4, it follows that

Corollary 1. *Every ρdf_{\perp}^{\neg} -graph is satisfiable.*

We prove now soundness and completeness of our deduction system for ρdf_{\perp}^{\neg} . The proofs are inspired by the analogous ones in (Muñoz, Pérez, and Gutierrez 2009) for ρdf .

The following proposition is needed for soundness.

Proposition 5 (Soundness). *Let G and H be ρdf_{\perp}^{\neg} -graphs and let one of the following statements hold:*

1. *there is a map $\mu : H \rightarrow G$;*
2. *$H \subseteq G$;*
3. *there is an instantiation R/R' of one of the rules in Definition 6, such that $R \subseteq G$ and $H = G \cup R'$.*

Then, $G \models_{\perp} H$.

Proof. By Corollary 1 we know that G is satisfiable. So, let

$$\mathcal{I} = \langle \Delta_R, \Delta_P, \Delta_C, \Delta_L, P^+[\cdot], P^-[\cdot], C^+[\cdot], C^-[\cdot], \cdot^{\mathcal{I}} \rangle$$

be a model of G , i.e., $\mathcal{I} \models_{\perp} G$. Therefore, \mathcal{I} satisfies the constraints in Definition 5. We have to prove that $\mathcal{I} \models_{\perp} H$. The proof is split in cases depending on rule applications of which we address here only some of them. The other cases can be shown similarly.

Rule (4e). Let $\{(s, p, \star_c), (o, \text{type}, c)\} \subseteq R$ for some $R \subseteq G$, $R' = \{(s, p, o)\}$, obtained via the application of rule (4e), and $H = G \cup R'$. As $\mathcal{I} \models_{\perp} G$ and $R \subseteq G$, $\mathcal{I} \models_{\perp} R$ follows. Therefore, $\mathcal{I} \models_{\perp} (o, \text{type}, c)$ and, thus, $o^{\mathcal{I}} \in C^+[\llbracket c^{\mathcal{I}} \rrbracket]$ follows. But, also $\mathcal{I} \models_{\perp} (s, p, \star_c)$ and, thus, by condition Simple, case 2. in Definition 5, we have that $(s^{\mathcal{I}}, o^{\mathcal{I}}) \in P^+[\llbracket p^{\mathcal{I}} \rrbracket]$. That is, $\mathcal{I} \models_{\perp} (s, p, o)$. Hence, from $\mathcal{I} \models_{\perp} R'$, $\mathcal{I} \models_{\perp} G$ and $H = G \cup R'$, $\mathcal{I} \models_{\perp} H$ follows.

Rule (6d). Let $(c, \perp_c, d) \in R$ for some $R \subseteq G$, $R' = \{(c, \text{sc}, \neg d)\}$, obtained via the application of rule (6d), and $H = G \cup R'$. As $\mathcal{I} \models_{\perp} G$ and $R \subseteq G$, $\mathcal{I} \models_{\perp} R$ follows. Therefore, $\mathcal{I} \models_{\perp} (c, \perp_c, d)$ and, thus, $(c^{\mathcal{I}}, d^{\mathcal{I}}) \in P^+[\llbracket \perp_c^{\mathcal{I}} \rrbracket]$. But, by condition Disjointness II, case 3. in Definition 5 we have that $(c^{\mathcal{I}}, \neg d^{\mathcal{I}}) \in P^+[\llbracket \text{sc}^{\mathcal{I}} \rrbracket]$ and, thus, $(c^{\mathcal{I}}, (\neg d)^{\mathcal{I}}) \in P^+[\llbracket \text{sc}^{\mathcal{I}} \rrbracket]$. Therefore, $\mathcal{I} \models_{\perp} (c, \text{sc}, \neg d)$. Hence, from $\mathcal{I} \models_{\perp} R'$, $\mathcal{I} \models_{\perp} G$ and $H = G \cup R'$, $\mathcal{I} \models_{\perp} H$ follows. \square

Proposition 6. Let G and H be ρdf_{\perp}^{-} -graphs. If $G \models_{\perp} H$ then there is a map $\mu : H \rightarrow \text{Cl}_{\perp}^{-}(G)$.

Proof. Consider the canonical model

$$\mathcal{I}_G = \langle \Delta_R, \Delta_P, \Delta_C, \Delta_L, P^+[\cdot], P^-[\cdot], C^+[\cdot], C^-[\cdot], \cdot^{\mathcal{I}_G} \rangle$$

of G , as defined in Proposition 4. As $G \models_{\perp} H$, $\mathcal{I}_G \models_{\perp} H$ follows. Therefore, for each $(s, p, o) \in H$, $p^{\mathcal{I}_G} \in \Delta_P$ and $(s^{\mathcal{I}_G}, o^{\mathcal{I}_G}) \in P^+[\llbracket p^{\mathcal{I}_G} \rrbracket]$. By construction, $p^{\mathcal{I}_G} = p$, and $P^+[\llbracket p^{\mathcal{I}_G} \rrbracket] = P^+[\llbracket p \rrbracket] = \{(t, t') \mid (t, p, t') \in \text{Cl}_{\perp}^{-}(G)\}$. Finally, since $(s^{\mathcal{I}_G}, o^{\mathcal{I}_G}) \in P^+[\llbracket p \rrbracket]$, we have that $(s^{\mathcal{I}_G}, p, o^{\mathcal{I}_G}) \in \text{Cl}_{\perp}^{-}(G)$, i.e., $(s^{\mathcal{I}_G}, p^{\mathcal{I}_G}, o^{\mathcal{I}_G}) \in \text{Cl}_{\perp}^{-}(G)$. Therefore, $\cdot^{\mathcal{I}_G}$ is a map such that $H^{\mathcal{I}_G} \subseteq \text{Cl}_{\perp}^{-}(G)$, i.e., a map $\cdot^{\mathcal{I}_G} : H \rightarrow \text{Cl}_{\perp}^{-}(G)$, which concludes. \square

From Proposition 6 we get the following corollary:

Corollary 2. Let G and H be ρdf_{\perp}^{-} -graphs. If $G \models_{\perp} H$ then there is a proof of H from G where rule (1a) is used at most once and at the end.

Eventually, combining previous Propositions 5 and 6, we get soundness and completeness of our deductive system.

Theorem 1 (Soundness & Completeness). Let G and H be ρdf_{\perp}^{-} -graphs. Then $G \models_{\perp} H$ iff $G \models_{\perp} H$.

Proof. Concerning soundness, if $G \models_{\perp} H$ then, by Proposition 5, $G \models_{\perp} H$. Concerning completeness, if $G \models_{\perp} H$ then, by Proposition 6, H can be obtained from $\text{Cl}_{\perp}^{-}(G)$ using rule (1a). Therefore, as $G \models_{\perp} \text{Cl}_{\perp}^{-}(G)$, $G \models_{\perp} H$ follows, which concludes. \square

Finally, unlike ρdf (see Proposition 1), the size of the closure of a ρdf_{\perp} graph G is $\Theta(|G|^3)$. The upper bound comes from the fact that in a triple (s, p, o) , for each s, p and o we may have at most $|G|$ terms, while the lower bound is given by the following example.

Example 7. It can easily be verified that for $1 \leq i < j \leq n$ and $1 \leq l, k, h \leq n$

$$\{(a_i, \text{type}, c), (a_i, p_1, \star_c), (p_i, \text{sp}, p_j)\} \models_{\perp} (a_l, p_k, a_h),$$

and, thus, the number of triples in the closure is $\Omega(|G|^3)$.

Furthermore, it is not difficult to see that if \star_c terms do not occur in a ρdf_{\perp} graph G , then the closure of G remains quadratically upper bounded. As case (i) in Remark 1 also applies to ρdf_{\perp} , it can be shown that

Proposition 7. Let G and H be ρdf_{\perp}^{-} -graphs. Then

1. the closure of G is unique and $|\text{Cl}_{\perp}^{-}(G)| \in \Theta(|G|^3)$;
2. if \star_c terms do not occur in G then $|\text{Cl}_{\perp}^{-}(G)| \in \Theta(|G|^2)$;
3. deciding $G \models_{\perp} H$ is an NP-complete problem;
4. if G is ground then $\text{Cl}_{\perp}^{-}(G)$ can be determined without using implicit typing rules (5);
5. if H is ground, then $G \models_{\perp} H$ if and only if $H \subseteq \text{Cl}_{\perp}^{-}(G)$;
6. There is no triple τ such that $\emptyset \models \tau$.

Eventually, by Proposition 7 it follows immediately that

Corollary 3. Let G and H be two ground ρdf_{\perp}^{-} graphs. Then deciding if $G \models_{\perp} H$ can be done in time $O(|H||G|^3)$ and in time $O(|H||G|^2)$ if \star_c terms do not occur in G .

4 Conclusions

We have addressed the problem to add negative statements of various form considered as relevant for RDFS by the literature. We have presented a sound and complete deductive system that consists of RDFS rules plus some additional rules to deal with the extra type of triples we allow. The design of the semantics has been such that to preserve features such as the canonical model property and computational attractiveness.

As future work, Corollary 3 tells us that there is still some computational complexity gap w.r.t. ρdf (see Proposition 2), which we would like to reduce as much as possible. In particular, we want to investigate whether the principles of the method proposed in (Muñoz, Pérez, and Gutierrez 2009) for ρdf can be adapted to ρdf_{\perp} as well. Additionally, we would like to address query answering, in particular to extend our framework to SPARQL and to verify whether and how it impacts w.r.t. ρdf_{\perp} graphs. Eventually, we would like to develop a FOL encoding of our semantics in the spirit of (Franconi et al. 2013), which encodes, e.g., subclass transitivity via $\forall x, y, z. \text{sc}(x, y) \wedge \text{sc}(y, z) \rightarrow \text{sc}(x, z)$, and determine whether our semantics can be reformulated in terms of a well-know paraconsistent semantics, such as e.g., Quasi-classical logic (Marquis and Porquet 2001).

Acknowledgments

This research was partially supported by TAILOR (Foundations of Trustworthy AI – Integrating Reasoning, Learning and Optimization), a project funded by EU Horizon 2020 research and innovation programme under GA No 952215.

References

- Analyti, A.; Antoniou, G.; and Damásio, C. V. 2008. A principled framework for modular web rule bases and its semantics. In Brewka, G., and Lang, J., eds., *Principles of Knowledge Representation and Reasoning: Proceedings of the Eleventh International Conference, KR 2008, Sydney, Australia, September 16-19, 2008*, 390–400. AAAI Press.
- Analyti, A.; Antoniou, G.; and Damásio, C. V. 2009. A formal theory for modular ERDF ontologies. In Polleres, A., and Swift, T., eds., *Web Reasoning and Rule Systems, Third International Conference, RR 2009, Chantilly, VA, USA, October 25-26, 2009, Proceedings*, volume 5837 of *Lecture Notes in Computer Science*, 212–226. Springer.
- Analyti, A.; Antoniou, G.; and Damásio, C. V. 2011. Mweb: A principled framework for modular web rule bases and its semantics. *ACM Trans. Comput. Log.* 12(2):17:1–17:46.
- Analyti, A.; Antoniou, G.; Damásio, C. V.; and Wagner, G. R. 2004. Negation and negative information in the w3c resource description framework. *Annals of Mathematics, Computing & Teleinformatics* 1(2):25–34.
- Analyti, A.; Antoniou, G.; Damásio, C. V.; and Wagner, G. 2005. Stable model theory for extended RDF ontologies. In Gil, Y.; Motta, E.; Benjamins, V. R.; and Musen, M. A., eds., *The Semantic Web - ISWC 2005, 4th International Semantic Web Conference, ISWC 2005, Galway, Ireland, November 6-10, 2005, Proceedings*, volume 3729 of *Lecture Notes in Computer Science*, 21–36. Springer.
- Analyti, A.; Antoniou, G.; Damásio, C. V.; and Wagner, G. 2008. Extended RDF as a semantic foundation of rule markup languages. *J. Artif. Intell. Res.* 32:37–94.
- Analyti, A.; Antoniou, G.; Damásio, C. V.; and Pachoulakis, I. 2013. A framework for modular ERDF ontologies. *Annals of Mathematics and Artificial Intelligence* 67(3-4):189–249.
- Analyti, A.; Damásio, C. V.; and Antoniou, G. 2015. Extended RDF: computability and complexity issues. *Annals of Mathematics and Artificial Intelligence* 75(3-4):267–334.
- Arnaout, H.; Razniewski, S.; Weikum, G.; and Pan, J. Z. 2021a. Negative knowledge for open-world wikidata. In Leskovec, J.; Grobelnik, M.; Najork, M.; Tang, J.; and Zia, L., eds., *Companion of The Web Conference 2021*, 544–551. ACM / IW3C2.
- Arnaout, H.; Razniewski, S.; Weikum, G.; and Pan, J. Z. 2021b. Negative statements considered useful. *Journal of Web Semantics* 71(100661).
- Arnaout, H.; Razniewski, S.; Weikum, G.; and Pan, J. Z. 2021c. Wikinegata: a knowledge base with interesting negative statements. *Proceedings of VLDB Endowment* 14(12):2807–2810.
- Arnaout, H.; Razniewski, S.; and Weikum, G. 2020. Enriching knowledge bases with interesting negative statements. In Das, D.; Hajjishirzi, H.; McCallum, A.; and Singh, S., eds., *Conference on Automated Knowledge Base Construction, AKBC 2020, Virtual, June 22-24, 2020*.
- Baader, F.; Calvanese, D.; McGuinness, D.; Nardi, D.; and Patel-Schneider, P., eds. 2007. *The Description Logic Handbook: Theory, Implementation and Applications*. Cambridge University Press, 2 edition.
- Belnap, N. D. 1977. A useful four-valued logic. In Epstein, G., and Dunn, J. M., eds., *Modern uses of multiple-valued logic*. Dordrecht, NL: Reidel. 5–37.
- Casini, G., and Straccia, U. 2020. Defeasible RDFS via rational closure. Technical report, Computing Research Repository. Available as CoRR technical report at <http://arxiv.org/abs/2007.07573>.
- Damásio, C. V.; Analyti, A.; and Antoniou, G. 2010. Implementing simple modular ERDF ontologies. In Coelho, H.; Studer, R.; and Wooldridge, M. J., eds., *ECAI 2010 - 19th European Conference on Artificial Intelligence, Lisbon, Portugal, August 16-20, 2010, Proceedings*, volume 215 of *Frontiers in Artificial Intelligence and Applications*, 1083–1084. IOS Press.
- Darari, F.; Prasojo, R. E.; and Nutt, W. 2015. Expressing no-value information in RDF. In Villata, S.; Pan, J. Z.; and Dragoni, M., eds., *Proceedings of the ISWC 2015 Posters & Demonstrations Track co-located with the 14th International Semantic Web Conference (ISWC-2015), Bethlehem, PA, USA, October 11, 2015*, volume 1486 of *CEUR Workshop Proceedings*. CEUR-WS.org.
- Franconi, E.; Gutiérrez, C.; Mosca, A.; Pirrò, G.; and Rosati, R. 2013. The logic of extensional RDFS. In Alani, H.; Kagal, L.; Fokoue, A.; Groth, P.; Biemann, C.; Parreira, J. X.; Aroyo, L.; Noy, N. F.; Welty, C.; and Janowicz, K., eds., *The Semantic Web - ISWC 2013 - 12th International Semantic Web Conference, Sydney, NSW, Australia, October 21-25, 2013, Proceedings, Part I*, volume 8218 of *Lecture Notes in Computer Science*, 101–116. Springer.
- Gutiérrez, C.; Hurtado, C. A.; Mendelzon, A. O.; and Pérez, J. 2011. Foundations of semantic web databases. *J. Comput. Syst. Sci.* 77(3):520–541.
- Lehmann, D., and Magidor, M. 1992. What does a conditional knowledge base entail? *Artificial Intelligence Journal* 55(1):1–60.
- Marquis, P., and Porquet, N. 2001. Computational aspects of quasi-classical entailment. *J. Appl. Non Class. Logics* 11(3-4):295–312.
- Muñoz, S.; Pérez, J.; and Gutiérrez, C. 2009. Simple and Efficient Minimal RDFS. *Web Semantics: Science, Services and Agents on the World Wide Web* 7(3):220–234.
- Muñoz, S.; Pérez, J.; and Gutiérrez, C. 2007. Minimal deductive systems for RDF. In *4th European Semantic Web Conference (ESWC-07)*, volume 4519 of *Lecture Notes in Computer Science*, 53–67. Springer Verlag.
- Patel-Schneider, P. F. 1985. A decidable first-order logic for knowledge representation. In *Proceedings of IJCAI-85, 9th International Joint Conference on Artificial Intelligence*, 455–458.

Patel-Schneider, P. F. 1986. A four-valued semantics for frame-based description languages. In *Proceedings of AAAI-86, 5th Conference of the American Association for Artificial Intelligence*, 344–348.

Patel-Schneider, P. F. 1987. A hybrid, decidable, logic-based knowledge representation system. *Computational Intelligence* 3:64–77.

Patel-Schneider, P. F. 1988. Adding number restrictions to a four-valued terminological logic. In *Proc. of the 7th Nat. Conf. on Artificial Intelligence (AAAI-88)*, 485–490.

Patel-Schneider, P. F. 1989. A four-valued semantics for terminological logics. *Artificial Intelligence* 38:319–351.

Reiter, R. 1978. On closed world data bases. In Gallaire, H., and Minker, J., eds., *Logic and data bases*. New York, NY: Plenum Press. 55–76.

Straccia, U. 1997a. A four-valued fuzzy propositional logic. In *Proceedings of the 15th International Joint Conference on Artificial Intelligence (IJCAI-97)*, 128–133.

Straccia, U. 1997b. A sequent calculus for reasoning in four-valued description logics. In *Proc. of the Int. Conf. on Analytic Tableaux and Related Methods (TABLEAUX-97)*, volume 1227 of *Lecture Notes in Artificial Intelligence*, 343–357.

Straccia, U. 1999. *Foundations of a Logic Based Approach to Multimedia Document Retrieval*. Ph.D. Dissertation, Department of Computer Science, University of Dortmund, Dortmund, Germany.

Straccia, U. 2000. A framework for the retrieval of multimedia objects based on four-valued fuzzy description logics. In Crestani, F., and Pasi, G., eds., *Soft Computing in Information Retrieval: Techniques and Applications*. Heidelberg, Germany: Physica Verlag (Springer Verlag). 332–357.

ter Horst, H. J. 2005. Completeness, decidability and complexity of entailment for rdf schema and a semantic extension involving the owl vocabulary. *Journal of Web Semantics* 3(2-3):79–115.

Zimmermann, A.; Lopes, N.; Polleres, A.; and Straccia, U. 2012. A general framework for representing, reasoning and querying with annotated semantic web data. *Journal of Web Semantics* 11:72–95.